



ADDRESS: VII. ulica - del 7, 1235 Radomlje, Slovenija

TEL: +386 (0)1 7297-234

GSM: +386 (0)41 819 607

Email: info@intertech.si



KPZ 2-11-3 M



KPZ 2-02E-2 M



KPZ 2-03-10 M IP 65



KPZ 2-03 M



KPZ 2-04 M



KPZ 2E-06S M Ex



KPZ 2114



KPZ 2082




KPZ 1 M Ex




KPZ 1 B



KPZ 2B M



KPZ 2 M Ex



KPZ 2D M Ex



KPZ 71-*



KPZ 71-*



KPZ 71-*



KPZ 71-*



KPZ 72 M Ex



KPZ 73B



KPZ 73SDJ



KPZ 73 M



KPZ 74
Pallet truck with
scales



KPZ 76
M



KPZ 39



Crane scales



M



M



KPZ PC Software

Index

			page
KPZ 1	Pallet scales	 Klasse III	2
KPZ 1B	Beam scales	 Klasse III	2
KPZ 2	Platform scales	 Klasse III	3-5
KPZ 2B	Barrel scales	 Klasse III	6
KPZ 2 ECO	Platform scales	 Klasse III	6
KPZ 2D	Low construction scales	 Klasse III	7
Option	Options to KPZ 1,KPZ 2, KPZ 2D,		8
KPZ 1N	Pallet scales STAINLESS STEEL	 Klasse III	9
KPZ 2N	Platform scales STAINLESS STEEL	 Klasse III	10-11
KPZ 2DN	Low construction scales STAINLESS STEEL	 Klasse III	12-13
KPZ 2-02-2	Precision scales	 Klasse III	14
KPZ 2-03E-4	Precision scales	 Klasse III	14
KPZ 2-03E-10	Multi-purpose scales		15
KPZ 2-04E-4	Counting scales	 Klasse III	15
KPZ 2-04-8	Reference counting scales		16
KPZ 2E06S	Bench- and Floor scales	 Klasse III	17-18
KPZ 2E06N	Bench- and Floor scales STAINLESS STEEL	 Klasse III	19-20
KPZ 2E-06-5	Bench- and Floor scales STAINLESS STEEL	 Klasse III	21
KPZ 2-11-3	Postal scales		22-23
KPZ 2-11-4	Digital platform scales		24
KPZ 3	Dial Crane Scales - hydraulic		25
KPZ 301	Dial Crane Scales - Mechanical		25
KPZ 402	Crane scales - Digital		26
KPZ 402F	Crane scales - Digital		26
KPZ 404E	Crane scales - Digital	 Klasse III	27
KPZ 405	Crane scales - Digital		27
KPZ 406	Crane scales - Digital		27
KPZ 601	Hand-cart/ barrow scales		28
KPZ 71-7	Mobile pallet weigher	 Klasse III	29-30
KPZ 71-7N	Mobile pallet weigher STAINLESS STEEL	 Klasse III	31
KPZ 71-8	Mobile pallet weigher	 Klasse III	32
KPZ 71-9	Mobile pallet weigher	 Klasse III	33
KPZ 72	Electric pallet weigher	 Klasse III	34
KPZ 73B	Barrel weigher - stacker		35
KPZ 73	Electric pallet weigher - stacker		36
KPZ 73 SDJ	Electric pallet weigher stacker		37
KPZ 74	Mobile pallet weigher – stacker		38
KPZ 39/39-1/39-2	Hydraulic weighing sysytem for forklift		39
KPZ 76F	Weighing forks system		40
KPZ 76-1	Weighing forks system		40
KPZ 76FE	Weighing forks system CE		41

Pallet scale type KPZ 1

Steel construction, black powder painted, made of 120x60x4 mm rectangular pipe, Standard version with rollers and handle for easy transport.

Weighing system: high quality DMS load cells type KPZ 502E-3 IP 67, OIML C3.

Indicator: as shown below (option: delivery without indicator) with 5 m cable

Certificate: EU type approved class III, CE conform.



Other capacity, division, option and dimension on request.

Calibration protocol as an option. Price on request.

Type	Capacity	Division	Indicator	Dim. mm	Approval possible	Article-No.
KPZ 1E	600 kg	200 g	KPZ 52E-8	840 x 1260	Yes M	1S000000060E
KPZ 1EM	600/1200 kg	200/500 g	KPZ 52E-8	840 x 1260	Yes M	1SM00000120E
KPZ 1M	600/1200 kg	200/500 g	KPZ 52-18	840 x 1260	No	1SM000001200
KPZ 1E	1500 kg	500 g	KPZ 52E-8	840 x 1260	Yes M	1S000000150E
KPZ 1	1500 kg	500 g	KPZ 52-18	840 x 1260	No	1S0000001500
KPZ 1E	2000 kg	1000 g	KPZ 52E-8	840 x 1260	Yes M	1S000000200E
KPZ 1	2000 kg	1000 g	KPZ 52-18	840 x 1260	No	1S0000002000
KPZ 1M	1000/2000 kg	200/500 g	KPZ 52-18	840 x 1260	No	1SM000002000
KPZ 1EM	1500/3000 kg	500/1000 g	KPZ 52E-8	840 x 1260	Yes M	1SM00000300E
KPZ 1M	1500/3000 kg	500/1000 g	KPZ 52-18	840 x 1260	No	1SM000003000
KPZ 1E	3000 kg	1000 g	KPZ 52E-8	840 x 1260	Yes M	1S000000300E
KPZ 1	3000 kg	1000 g	KPZ 52-18	840 x 1260	No	1S0000003000
KPZ 1M	3000/6000 kg	1000 /2000 g	KPZ 52-18	840 x 1260	No	1SM000006000
KPZ 1E	6000 kg	2000 g	KPZ 52E-8	840 x 1260	Yes M	1S000000600E

In above mentioned products KPZ applies only EU approved components

Calibration protocol as option. Price on request.

Option: Cash register system connection.

2 Range
division

Beam scale type: KPZ 1B

for use with or without EU approval.

High quality steel construction, black powder painted, made of rectangular pipe 120 x 60 x 4 mm with transport rollers and handle for comfortable transport.

Load cells: High quality load cells DMS type KPZ 502E-3, IP 67,OIML C3.

Indicator: as shown below, with two 5 meter cable, sheltered at way out of scale in case of mechanical damage.

Certification: EC approval possibility class III, Declaration of Conformity.



Type	Capacity	Division	Indicator	Dim. mm	Approval	Art-Nr.
KPZ 1BSM	1500/3000 kg	500/1000 g	KPZ 52-18	85 x 800	No	1BSM00083000
KPZ 1BSE	1500 kg	500 g	KPZ 52E-8	85 x 800	Yes M	1BS00008150E
KPZ 1BS	1500 kg	500 g	KPZ 52-18	85 x 800	No	1BS000081500
KPZ 1BSE	3000 kg	1000 g	KPZ 52E-8	85 x 800	Yes M	1BS00008300E
KPZ 1BS	3000 kg	1000 g	KPZ 52-18	85 x 800	No	1BS000083000
KPZ 1BSM	1500/3000 kg	500/1000 g	KPZ 52-18	85 x 1000	No	1BSM00103000
KPZ 1BSE	1500 kg	500 g	KPZ 52E-8	85 x 1000	Yes M	1BS00010150E
KPZ 1BS	1500 kg	500 g	KPZ 52-18	85 x 1000	No	1BS000101500
KPZ 1BSE	3000 kg	1000 g	KPZ 52E-8	85 x 1000	Yes M	1BS00010300E
KPZ 1BS	3000 kg	1000 g	KPZ 52-18	85 x 1000	No	1BS000103000
KPZ 1BSM	1500/3000 kg	500/1000 g	KPZ 52-18	85 x 1200	No	1BSM00123000
KPZ 1BSE	1500 kg	500 g	KPZ 52E-8	85 x 1200	Yes M	1BS00012150E
KPZ 1BS	1500 kg	500 g	KPZ 52-18	85 x 1200	No	1BS000121500
KPZ 1BSE	3000 kg	1000 g	KPZ 52E-8	85 x 1200	Yes M	1BS00012300E
KPZ 1BS	3000 kg	1000 g	KPZ 52-18	85 x 1200	No	1BS000123000
KPZ 1BSM	1500/3000 kg	500/1000 g	KPZ 52-18	85 x 1500	No	1BSM00153000
KPZ 1BSE	1500 kg	500 g	KPZ 52E-8	85 x 1500	Yes M	1BS00015150E
KPZ 1BS	1500 kg	500 g	KPZ 52-18	85 x 1500	No	1BS000151500
KPZ 1BSE	3000 kg	1000 g	KPZ 52E-8	85 x 1500	Yes M	1BS00015300E
KPZ 1BS	3000 kg	1000 g	KPZ 52-18	85 x 1500	No	1BS000153000

Option for the scales page 8

Platform scale type KPZ 2

Steel construction, black powder painted with structured plate.

Weighing system: high quality DMS load cells type KPZ 502E-3 IP 67, OIML C3.

Indicator: as shown below (option: delivery without indicator) with 5 m cable

Certificate: EU type approved class III, CE conform.

Other capacity, division, option and dimension on request.

Calibration protocol as an option. Price on request.



Klasse
III

Type	Capacity	Division	Indicator	Approval possible	Dim. mm	Article-No.
KPZ 2E	600 kg	200 g	KPZ 52E-8	Yes (III) M	800 x 800 x 95	2S000808060E
KPZ 2	600 kg	200 g	KPZ 52-18	No		2S0008080600
KPZ 2ME	600/1200 kg	200/500 g	KPZ 52E-8	Yes (III) M		2SM00808120E
KPZ 2M	600/1200 kg	200/500 g	KPZ 52-18	No		2SM008081200
KPZ 2E	1.500 kg	500 g	KPZ 52E-8	Yes (III) M		2S000808150E
KPZ 2	1.500 kg	500 g	KPZ 52-18	No		2S0008081500
KPZ 2E	2.000 kg	1000 g	KPZ 52E-8	Yes (III) M		2S000808200E
KPZ 2	2.000 kg	1000 g	KPZ 52-18	No		2S0008082000
KPZ 2M	1000/2000 kg	200/500 g	KPZ 52-18	No		2SM008082000
KPZ 2ME	1500/3000 kg	500/1000 g	KPZ 52E-8	Yes (III) M		2SM00808300E
KPZ 2M	1500/3000 kg	500/1000 g	KPZ 52-18	No		2SM008083000
KPZ 2E	600 kg	200 g	KPZ 52E-8	Yes (III) M	1000 x 1000 x 95	2S001010060E
KPZ 2	600 kg	200 g	KPZ 52-18	No		2S0010100600
KPZ 2ME	600/1200kg	200/500 g	KPZ 52E-8	Yes (III) M		2SM01010120E
KPZ 2M	600/1200kg	200/500 g	KPZ 52-18	No		2SM010101200
KPZ 2E	1500 kg	500 g	KPZ 52E-8	Yes (III) M		2S001010150E
KPZ 2	1500 kg	500 g	KPZ 52-18	No		2S0010101500
KPZ 2E	2000 kg	1000 g	KPZ 52E-8	Yes (III) M		2S001010200E
KPZ 2	2000 kg	1000 g	KPZ 52-18	No		2S0010102000
KPZ 2M	1000/2000 kg	200/500 g	KPZ 52-18	No		2SM010102000
KPZ 2ME	1500/3000 kg	500/1000 g	KPZ 52E-8	Yes (III) M		2SM01010300E
KPZ 2M	1500/3000 kg	500/1000 g	KPZ 52-18	No		2SM010103000
KPZ 2E	600kg	200 g	KPZ 52E-8	Yes (III) M	1250 x 830 x 95	2S001208060E
KPZ 2	600kg	200 g	KPZ 52-18	No		2S0012080600
KPZ 2ME	600/1200kg	200/500 g	KPZ 52E-8	Yes (III) M		2SM01208120E
KPZ 2M	600/1200kg	200/500 g	KPZ 52-18	No		2SM012081200
KPZ 2E	1500 kg	500 g	KPZ 52E-8	Yes (III) M		2S001208150E
KPZ 2	1500 kg	500 g	KPZ 52-18	No		2S0012081500
KPZ 2E	2000 kg	1000 g	KPZ 52E-8	Yes (III) M		2S001208200E
KPZ 2	2000 kg	1000 g	KPZ 52-18	No		2S0012082000
KPZ 2M	1000/2000 kg	200/500 g	KPZ 52-18	No		2SM012082000
KPZ 2ME	1500/3000kg	500/1000 g	KPZ 52E-8	Yes (III) M		2SM01208300E
KPZ 2M	1500/3000kg	500/1000 g	KPZ 52-18	No		2SM012083000
KPZ 2E	600kg	200 g	KPZ 52E-8	Yes (III) M	1250 x 1000 x 95	2S001210060E
KPZ 2	600kg	200 g	KPZ 52-18	No		2S0012100600
KPZ 2ME	600/1200kg	200/500g	KPZ 52E-8	Yes (III) M		2SM01210120E
KPZ 2M	600/1200kg	200/500g	KPZ 52-18	No		2SM012101200
KPZ 2E	1500 kg	500 g	KPZ 52E-8	Yes (III) M		2S001210150E
KPZ 2	1500 kg	500 g	KPZ 52-18	No		2S0012101500
KPZ 2E	2000 kg	1000 g	KPZ 52E-8	Yes (III) M		2S001210200E
KPZ 2	2000 kg	1000 g	KPZ 52-18	No		2S0012102000
KPZ 2M	1000/2000 kg	200/500 g	KPZ 52-18	No		2SM012102000
KPZ 2ME	1500/3000 kg	500/1000 g	KPZ 52E-8	Yes (III) M		2SM01210300E
KPZ 2M	1500/3000 kg	500/1000 g	KPZ 52-18	No		2SM012103000

Option for the scales page 8

Platform scale type KPZ 2

Steel construction, black powder painted with structured plate.

Weighing system: high quality DMS load cells type KPZ 502E-3 IP 67, OIML C3.

Indicator: as shown below (option: delivery without indicator) with 5 m cable

Certificate: EU type approved class III, CE conform.

Other capacity, division, option and dimension on request.

Calibration protocol as an option. Price on request.



Type	Capacity	Division	Indicator	Approval possible	Dim. mm		Article-No.
KPZ 2E	600 kg	200 g	KPZ 52E-8	Yes	1250 x 1250 x 95		2S001212060E
KPZ 2	600 kg	200 g	KPZ 52-18	No			2S0012120600
KPZ 2ME	600/1200 kg	200/500 g	KPZ 52E-8	Yes			2SM01212120E
KPZ 2M	600/1200 kg	200/500 g	KPZ 52-18	No			2SM012121200
KPZ 2E	1500 kg	500 g	KPZ 52E-8	Yes			2S001212150E
KPZ 2	1500 kg	500 g	KPZ 52-18	No			2S0012121500
KPZ 2E	2000 kg	1000 g	KPZ 52E-8	Yes			2S001212200E
KPZ 2	2000 kg	1000 g	KPZ 52-18	No			2S0012122000
KPZ 2M	1000/2000 kg	200/500 g	KPZ 52-18	No			2SM012122000
KPZ 2ME	1500/3000 kg	500/1000 g	KPZ 52E-8	Yes			2SM01212300E
KPZ 2M	1500/3000 kg	500/1000 g	KPZ 52-18	No			2SM012123000
KPZ 2E	600 kg	200 g	KPZ 52E-8	Yes	1250 x 1500 x 95		2S001215060E
KPZ 2	600 kg	200 g	KPZ 52-18	No			2S0012150600
KPZ 2ME	600/1200kg	200/500g	KPZ 52E-8	Yes			2SM01215120E
KPZ 2M	600/1200kg	200/500g	KPZ 52-18	No			2SM012151200
KPZ 2E	1500 kg	500 g	KPZ 52E-8	Yes			2S001215150E
KPZ 2	1500 kg	500 g	KPZ 52-18	No			2S0012151500
KPZ 2E	2000 kg	1000 g	KPZ 52E-8	Yes			2S001215200E
KPZ 2	2000 kg	1000 g	KPZ 52-18	No			2S0012152000
KPZ 2M	1000/2000 kg	200/500 g	KPZ 52-18	No			2SM012152000
KPZ 2ME	1500/3000 kg	500/1000 g	KPZ 52E-8	Yes			2SM01215300E
KPZ 2M	1500/3000 kg	500/1000 g	KPZ 52-18	No			2SM012153000
KPZ 2E	1500 kg	500 g	KPZ 52E-8	Yes	1500 x 1500 x 95		2S001515150E
KPZ 2	1500 kg	500 g	KPZ 52-18	No	1500 x 1500 x 95		2S0015151500
KPZ 2E	2000 kg	1000 g	KPZ 52E-8	Yes	1500 x 1500 x 95		2S001515200E
KPZ 2	2000 kg	1000 g	KPZ 52-18	No	1500 x 1500 x 95		2S0015152000
KPZ 2M	1000/2000 kg	200/500 g	KPZ 52-18	No	1500 x 1500 x 95		2SM015152000
KPZ 2ME	1500/3000 kg	500/1000 g	KPZ 52E-8	Yes	1500 x 1500 x 95		2SM01515300E
KPZ 2M	1500/3000 kg	500/1000 g	KPZ 52-18	No	1500 x 1500 x 95		2SM015153000
KPZ 2E	6000 kg	2000 g	KPZ 52E-8	Yes	1500 x 1500 x 165		2S001515600E
KPZ 2E	1500 kg	500 g	KPZ 52E-8	Yes	1500 x 2000 x 130		2S001520150E
KPZ 2	1500 kg	500 g	KPZ 52-18	No	1500 x 2000 x 130		2S0015201500
KPZ 2E	2000 kg	1000 g	KPZ 52E-8	Yes	1500 x 2000 x 130		2S001520200E
KPZ 2	2000 kg	1000 g	KPZ 52-18	No	1500 x 2000 x 130		2S0015202000
KPZ 2ME	1500/3000 kg	500/1000 g	KPZ 52E-8	Yes	1500 x 2000 x 130		2SM01520300E
KPZ 2M	1500/3000 kg	500/1000 g	KPZ 52-18	No	1500 x 2000 x 130		2SM015203000
KPZ 2E	6000 kg	2000 g	KPZ 52E-8	Yes	1500 x 2000 x 165		2S001520600E
KPZ 2E	1500 kg	500 g	KPZ 52E-8	Yes	2000 x 2000 x 130		2S002020150E
KPZ 2	1500 kg	500 g	KPZ 52-18	No	2000 x 2000 x 130		2S0020201500
KPZ 2E	2000 kg	1000 g	KPZ 52E-8	Yes	2000 x 2000 x 130		2S002020200E
KPZ 2	2000 kg	1000 g	KPZ 52-18	No	2000 x 2000 x 130		2S0020202000
KPZ 2ME	1500/3000 kg	500/1000 g	KPZ 52E-8	Yes	2000 x 2000 x 130		2SM02020300E
KPZ 2M	1500/3000 kg	500/1000 g	KPZ 52-18	No	2000 x 2000 x 130		2SM020203000
KPZ 2E	6000 kg	2000 g	KPZ 52E-8	Yes	2000 x 2000 x 165		2S002020600E

Option for the scales page 8

KPZ 2/KPZ 2 Platform scale
Options



Options / accessories / extra charge		Article-Nr
Pit frame for KPZ 2 , Steel, 800 x 800 mm up to 3t		25S008083000
Pit frame for KPZ 2 , Steel, 830 x 1250 mm up to 3t		25S008123000
Pit frame for KPZ 2 , Steel, 1000 x 1000 mm up to 3t		25S010103000
Pit frame for KPZ 2 , Steel, 1000 x 1250 mm up to 3t		25S010123000
Pit frame for KPZ 2 , Steel, 1250 x 1250 mm up to 3t		25S012123000
Pit frame for KPZ 2 , Steel, 1250 x 1500 mm up to 3t		25S012153000
Pit frame for KPZ 2 , Steel, 1500 x 1500 mm up to 3t		25S015153000
Pit frame for KPZ 2 , Steel, 1500 x 1500 mm 6t		25S015156000
Pit frame for KPZ 2 , Steel 1500 x 2000 mm up to 3t		25S015203000
Pit frame for KPZ 2 , Steel, 1500 x 2000 mm 6t		25S015206000
Pit frame for KPZ 2 , Steel, 2000 x 2000 mm up to 3t		25S020203000
Pit frame for KPZ 2 , Steel, 2000 x 2000 mm 6t		25S020206000

Ramp for KPZ 2			
Fits	Ramp dimension		Article-Nr
KPZ 2 800 x 800 mm up to 3t	800 mm wide, 800 mm long		21S008083000
KPZ 2 830 x 1250 mm up to 3t	830 mm wide, 800 mm long		21S008093000
KPZ 2 1000 x 1000 mm up to 3t	1000 mm wide, 800 mm long		21S008103000
KPZ 2 1000 x 1250 mm up to 3t	1000 mm wide, 800 mm long		21S008103000
KPZ 2 1250 x 1250 mm up to 3t	1250 mm wide, 800 mm long		21S008123000
KPZ 2 1250 x 1500 mm up to 3t	1250 mm wide, 800 mm long		21S008123000
KPZ 2 1500 x 1500 mm up to 3t	1500 mm wide, 800 mm long		21S008153000
KPZ 2 1500 x 1500 mm up to 6t	1500 mm wide, 1500 mm long		21S015156000
KPZ 2 1500 x 2000 mm up to 3t	1500 mm wide, 1500 mm long		21S015153000
KPZ 2 1500 x 2000 mm up to 6t	1500 mm wide, 1500 mm long		21S015156000
KPZ 2 2000 x 2000 mm up to 3t	2000 mm wide, 1500 mm long		21S015203000
KPZ 2 2000 x 2000 mm up to 6t	2000 mm wide, 1500 mm long		21S015206000

Packing dimension		
Model	scale capacity	packing dimension
KPZ 2 800 x 800	Up to 3000kg	80 x 120 x 50 cm , 80 kg
KPZ 2 1000 x 1000	Up to 3000kg	130 x 100 x 50 cm, 100 kg
KPZ 2 1250 x 1250	Up to 3000kg	130 x 135 x 50 cm 135 kg
KPZ 2 1250 x 1500	Up to 3000kg	130 x 160 x 50 cm. 160 kg
KPZ 2 1500 x 1500	Up to 3000kg	160 x 160 x 50 cm 190 kg
KPZ 2 1500 x 2000	Up to 3000kg	160 x 200 x 50 cm 330 kg
KPZ 2 1500 x 2000	Up to 6000kg	160 x 200 x 50 cm 385 kg
KPZ 2 2000 x 2000	Up to 6000kg	200 x 200 x 50 cm 490 kg



Barrel scale type KPZ 2B

Solid, welded steel construction, powder painted.

Weighing system: high quality DMS load cells type KPZ 502E-3 IP 67, OIML C3.

Indicator: as shown below (option: delivery without indicator) with 5 m cable

Certificate: EU type approved class III, CE conform.



Other capacity, division, option and dimension on request.

Calibration protocol as an option. Price on request.

Type	Capacity	Division	Indicator	Approval possible	Dim. mm		Article-No
KPZ 2B	400 kg	100 g	KPZ 52-18	No	600 x 600 x 95		2BS006060400
KPZ 2BM	300/600kg	100/200g	KPZ 52-18	No			2BSM06060600
KPZ 2B	600 kg	200 g	KPZ 52-18	No			2BS006060600
KPZ 2B	600 kg	200 g	KPZ 52E-8	Yes 			2BS00606060E
Option		indicator stand					

Option : Pitframe and Ramp		Article-Nr
Pitframe KPZ 2, Steel, 600 x 600 mm		125006060300
Ramp for KPZ 2, steel, 600 mm up to 3t, long 800 mm		121006060300

Packing dimension

Type	Dimension
KPZ 2B	130 x 84 x 50 cm, ca 80 kg


Platform scale type KPZ 2 EKO EC

Steel galvanized construction, with aluminium structured plate.

Weighing system: high quality DMS load cells type KPZ 502E-3 IP 67, OIML C3.

Indicator: as shown below (option: delivery without indicator) with 3 m cable

Certificate: EU type approved class III, CE conform.



Other capacity, division, option and dimension on request.

Calibration protocol as an option. Price on request.

Type	Capacity	Division	Indicator	Approval possible	Dim. mm	Article-No.
KPZ 2 EKO	150/300 kg	50/100 g	KPZ 52-18	No	580 x 1010 x 85	2VA006100300
KPZ 2 EKO	300 kg	100 g	KPZ 52E-8	Yes (III) M	580 x 1010 x 85	2VA00610030E
KPZ 2 EKO	150/300 kg	50/100 g	KPZ 52-18	No	910 x 1010 x 85	2VA009100300
KPZ 2 EKO	300 kg	100 g	KPZ 52E-8	Yes (III) M	910 x 1010 x 85	2VA00910030E
KPZ 2 EKO	150/300 kg	50/100 g	KPZ 52-18	No	740 x 1260 x 85	2VA007120300
KPZ 2 EKO	300 kg	100 g	KPZ 52E-8	Yes (III) M	740 x 1260 x 85	2VA00712030E
KPZ 2 EKO	150/300 kg	50/100 g	KPZ 52-18	No	1160 x 1260 x 85	2VA010120300
KPZ 2 EKO	300 kg	100 g	KPZ 52E-8	Yes (III) M	1160 x 1260 x 85	2VA01012030E
KPZ 2 EKO	150/300 kg	50/100 g	KPZ 52-18	No	510 x 1510 x 85	2VA005150300
KPZ 2 EKO	300 kg	100 g	KPZ 52E-8	Yes (III) M	510 x 1510 x 85	2VA00515030E
KPZ 2 EKO	150/300 kg	50/100 g	KPZ 52-18	No	670x1510x85	2VA006150300
KPZ 2 EKO	300 kg	100 g	KPZ 52E-8	Yes (III) M	670x1510x85	2VA00615030E
KPZ 2 EKO	150/300 kg	50/100 g	KPZ 52-18	No	660 x 1810 x 85	2VA007180300
KPZ 2 EKO	300 kg	100 g	KPZ 52E-8	Yes (III) M	660 x 1810 x 85	2VA00718030E



Low Construction scale type KPZ 2D

High quality steel construction, powder painted.


Weighing system: high quality DMS load cells type KPZ 502E-3 IP 67, OIML C3.

Indicator: as shown below (option: delivery without indicator) with 5 m cable

Certificate: EU type approved class III, CE conform.

Other capacity, division, option and dimension on request.

Calibration protocol as an option. Price on request.



Type	Capacity	Division	Indicator	Approval possible	Dim. mm		Article-No.
KPZ 2DE	300 kg	100 g	KPZ 52E-8	Yes (III) M	500 x 600		2D000506030E
KPZ 2D	300 kg	100 g	KPZ 52-18	No	500 x 600		2D0005060300
KPZ 2DM	300/600 kg	100/200 g	KPZ 52-18	No	500 x 600		2DM005060600
KPZ 2DE	600 kg	200 g	KPZ 52E-8	Yes (III) M	500 x 600		2D000506060E
KPZ 2D	600 kg	200 g	KPZ 52-18	No	500 x 600		2D0005060600
KPZ 2DE	300 kg	100 g	KPZ 52E-8	Yes (III) M	800 x 800		2D000808030E
KPZ 2D	300 kg	100 g	KPZ 52-18	No	800 x 800		2D0008080300
KPZ 2DM	300/600 kg	100/200 g	KPZ 52-18	No	800 x 800		2DM008080600
KPZ 2DE	600 kg	200 g	KPZ 52E-8	Yes (III) M	800 x 800		2D000808060E
KPZ 2D	600 kg	200 g	KPZ 52-18	No	800 x 800		2D0008080600
KPZ 2DM	300/600 kg	100/200 g	KPZ 52-18	No	700 x 1000		2DM007100600
KPZ 2DE	600 kg	200 g	KPZ 52E-8	Yes (III) M	700 x 1000		2D000710060E
KPZ 2D	600 kg	200 g	KPZ 52-18	No	700 x 1000		2D0007100600
KPZ 2DE	600 kg	200 g	KPZ 52E-8	Yes (III) M	1060 X 1250		2D001112060E
KPZ 2D	600 kg	200 g	KPZ 52-18	No	1060 X 1250		2D0011120600
KPZ 2DM	750/1500 kg	200/500 g	KPZ 52-18	No	1060 X 1250		2DM011121500
KPZ 2DE	1500 kg	500 g	KPZ 52E-8	Yes (III) M	1060 X 1250		2D001112150E
KPZ 2D	1500 kg	500 g	KPZ 52-18	No	1060 X 1250		2D0011121500
KPZ 2DM	1500/3000 kg	500/1000 g	KPZ 52-18	No	1060 X 1250		2DM011123000
KPZ 2DE	600 kg	200 g	KPZ 52E-8	Yes (III) M	1250 x 1500		2D001215060E
KPZ 2D	600 kg	200 g	KPZ 52-18	No	1250 x 1500		2D0012150600
KPZ 2DM	750/1500 kg	200/500 g	KPZ 52-18	No	1250 x 1500		2DM012151500
KPZ 2DE	1500 kg	500 g	KPZ 52E-8	Yes (III) M	1250 x 1500		2D001215150E
KPZ 2D	1500 kg	500 g	KPZ 52-18	No	1250 x 1500		2D0012151500
KPZ 2DE	600 kg	200 g	KPZ 52E-8	Yes (III) M	1500 x 1500		2D001515060E
KPZ 2D	600 kg	200 g	KPZ 52-18	No	1500 x 1500		2D0015150600
KPZ 2DM	750/1500 kg	200/500 g	KPZ 52-18	No	1500 x 1500		2DM015151500
KPZ 2DE	1500 kg	500 g	KPZ 52E-8	Yes (III) M	1500 x 1500		2D001515150E
KPZ 2D	1500 kg	500 g	KPZ 52-18	No	1500 x 1500		2D0015151500

accessories ramp additional / extra charge				Article-Nr.
fits		ramp dimension		
KPZ 2D	500 x 600 mm up to 600 kg	500 mm wide, 500 mm long		21DS05050600
KPZ 2D	800 x 800 mm up to 600 kg	800 mm wide, 500 mm long		21DS05080600
KPZ 2D	700 x 1000 mm up to 600 kg	700 mm wide, 500 mm long		21DS05070600
KPZ 2D	1250 x 1060 mm up to 3.000 kg	1060 mm wide, 500 mm long		21DS05113000
KPZ 2D	1250 x 1500 mm up to 1.500 kg	1250 mm wide, 500 mm long		21DS05121500
KPZ 2D	1500 x 1500 mm up to 1.500 kg	1500 mm wide, 500 mm long		21DS05151500

Options / accessories / extra charge	Article-Nr.
Go through stop for KPZ 2 D, 500 x 600 mm	2DS001070600
Go through stop for KPZ 2 D, 800 x 800 mm	2DS001100600
Go through stop for KPZ 2 D, 700 x 1000 mm	2DS001090600
Go through stop for KPZ 2 D, 1250 x 1060 mm	2DS001133000
Go through stop for KPZ 2 D, 1250 x 1500 mm	2DS001151500
Go through stop for KPZ 2 D, 1500 x 1500 mm	2DS001171500



Options for KPZ 1, KPZ 1B, KPZ2, KPZ 2B, KPZ 2D

Options / accessories / extra charge		Article-Nr
Indicators: Options (extra cost)		
Delivery without Indicator KPZ 52E-8, REDUCED PRICE		1252E8OHNE00
Delivery without Indicator KPZ 52-18, REDUCED PRICE		125218OHNE00
Indicator KPZ 52E-8 instead of KPZ 52-18		1252E8000000
Indicator KPZ 52E-8/1, with pre tare and easy counting instead of KPZ 52E-8		120030000000
Indicator KPZ 52E-8/1, with pre tare and easy counting instead of KPZ 52-18		12J030000000
Indicator KPZ 56E-3, professional counting, addition, Tare input by hand, instead of KPZ 52E-8		120324000000
Indicator KPZ 56E-3, professional counting, addition, Tare input by hand, instead of KPZ 52-18		120324000000
Indicator KPZ 52E-9-1, Stainles steel housing (IP 67) easy counting instead of KPZ 52E-8		1252E9100000
Indicator KPZ 52E-9-1, Stainles steel housing (IP 67) easy counting instead of KPZ 52-18		1252J9100000
Indicator KPZ 51E-9-2, Stainles steel housing (IP 67), High/OK/LOW, 10 Memory instead of KPZ 52E-8		1251E9200000
Indicator KPZ 51E-9-2, Stainles steel housing (IP 67), High/OK/LOW, 10 Memory instead of KPZ 52-18		1251J9200000
Printers: Options (extra cost) + costs for output RS 232		
Roller printer FAVORIT Plus, for KPZ 51(E)-*,		120024000000
Printer DR 7		120039000000
Printer DR 7 with date & time		120039100000
Label printer and code printer type DR 2 for KPZ 56E-1, KPZ 51E-9-2		120038000000
Print design for DR 2 on request		204333100000
serial interface / Setpoints: Options / extra costs		
Serial interface RS232 C for KPZ 52E-8		1252E8000100
Serial interface RS232 C for KPZ 52-18		511830700000
Serial interface RS232 C for KPZ 52E-9-1		123071000000
Serial interface RS232 C for KPZ 51E-9-2		123072000000
Serial interface RS232 C for KPZ 56E-3 incl. PT and Addition		123080000000
Serial interface RS232 C for KPZ 56E-3 incl. RTC, w/out PT, w/out Addition		204300070000
Setpoints, 3 pcs for KPZ 52(E)-8 (more – OK – less)		120029001000
Setpoints, 3 pcs for KPZ 51E-9-2 (more – OK – less)		120029002000
Software "KPZ Smart Scale" STANDARD (incl. RS232 serial interface)		5S0001000000
Software "KPZ Smart Scale" PROFESSIONAL (incl. RS232 serial interface)		5S0005000000
Software "KPZ Smart Scale" PREMIUM (incl. RS232 serial interface)		5S0010000000
Wi-Fi Datatransfer		120005000000
Rechargeable battery version KPZ 51(E)-8, 56E-1, 51E-9-1, 51E-9-2		120040000000
weights & measures certification (extra charge)		
KPZ Factory first certification up to 500 kg		300PL0000500
KPZ Factory first certification from 550 kg up to 3.000 kg		300PL0003000
KPZ Factory first certification from 3.050 kg up to 10.000 kg		300PL0010000
construction accessories (extra charge)		
Indicator stand for KPZ 52(E)-8, KPZ 56E-3		1S0200000000
Indicator stand for KPZ 52-18,		1S0220000000
Indicator stand for KPZ 52(E)-9-1, KPZ 51E-9-2		1S0210000000
Wall mounting indicator KPZ 52(E)-8, KPZ 56E-3		1S0020000000
Wall mounting indicator KPZ 52-18		1S0022000000



Pallet scale type KPZ 1N, STAINLESS STEEL (Material DIN 1.4301)

Base material rectangular pipe 120x60mm, with handle and transport rollers.

Weighing system: high quality DMS load cells stainless steel, IP 68, type 502E-3N, OIML C3. Stainless steel, adjustable feet.

Indicator: KPZ 52E-9-1, with 5 m cable (option: delivery without indicator).

Certificate: EU type approved class III, CE conform.

Other capacity, division, option and dimension on request.



Type	Capacity	Division	Dim. mm	Approval possible	Article-No.
KPZ 1EN	300 kg	100 g	840 x 1260	Yes (III) M	1N000000030E
KPZ 1EN	600 kg	200 g	840 x 1260	Yes (III) M	1N000000060E
KPZ 1EN	1500 kg	500 g	840 x 1260	Yes (III) M	1N000000150E
KPZ 1EN	2.000 kg	1000 g	840 x 1260	Yes (III) M	1N000000200E
KPZ 1NM	1500/2000 kg	500/1000g	840 x 1260	No	1NM000002000
KPZ 1EN	3000 kg	1000 g	840 x 1260	Yes (III) M	1N000000300E
KPZ 1NM	1500/3000 kg	500/1000g	840 x 1260	No	1NM000003000

In above mentioned products KPZ applies only EU approved components

KPZ 1N price includes indicator KPZ 52E-9-1

Calibration protocol as option. Price on request.

Option: Cash register system connection!



2 Range
division

Options / accessories / extra charge	Article-No.
Indicators: Options (extra cost)	
Delivery without Indicator KPZ 52E-9-1 REDUCED PRICE	12N52E91OHNE
Indicator KPZ 51E-9-2, Stainless steel housing (IP 67), High/OK/LOW, 10 Memory	12N51E920000
Printers: Options (extra cost) + costs for output RS 232	
Roller printer FAVORIT Plus, for KPZ 52(E)-*	120024000000
Label printer and code printer type DR 2 for KPZ 56E-3, KPZ 51E-9-2	120038000000
Print design for DR 2 on request	204333100000
serial interface / Setpoints: Options / extra costs	
Serial interface RS232 C for KPZ 52E-9-1	123071000000
Serial interface RS232 C for KPZ 51E-9-2	123072000000
Setpoints, 3 pcs for KPZ 51E-9-2 (more – OK – less)	120029002000
Software "KPZ Smart Scale" STANDARD (incl. RS232 serial interface)	5S0001000000
Software "KPZ Smart Scale" PROFESSIONAL (incl. RS232 serial interface)	5S0005000000
Software "KPZ Smart Scale" PREMIUM (incl. RS232 serial interface)	5S0010000000
Wi-Fi Datatransfer	120005000000
Rechargeable battery version KPZ 52E-9-1, 51E-9-2	120040000000
weights & measures certification (extra charge)	
KPZ Factory first certification from 550 kg up to 3.000 kg	300PL0003000
construction accessories (extra charge)	
Indicator stand for KPZ 52E-9-1, 51E-9-2 Stainless Steel	1N0200000000
Packing dimension	
Model	Dimension
KPZ 1N	130 x 80 x 50 cm, 80 kg
We reserve the right to make changes without prior notification	

KPZ 2N Platform scale – Stainless Steel (Material DIN 1.4301)

extremely solid and stable construction, plain plate, precision weighing for long operating life.

Weighing system: high quality DMS load cells stainless steel, IP 68, type 502E-3N, OIML C3. Stainless steel, adjustable feet.

Indicator: KPZ 52E-9-1, with 5 m cable (option: delivery without indicator).

Certificate: EU type approved class III, CE conform.

Other capacity, division, option and dimension on request.

Calibration protocol as an option. Price on request.



Type	Capacity	division	Dim. mm	approval	Article-Nr
KPZ 2EN	300 kg	100 g	800 x 800	Yes (III) M	2N000808030E
KPZ 2EN	600 kg	200 g	800 x 800	Yes (III) M	2N000808060E
KPZ 2NM	750/1500 kg	200/500 g	800 x 800	No	2NM008081500
KPZ 2EN	1500 kg	500 g	800 x 800	Yes (III) M	2N000808150E
KPZ 2EN	300 kg	100 g	1000 x 1000	Yes (III) M	2N001010030E
KPZ 2EN	600 kg	200 g	1000 x 1000	Yes (III) M	2N001010060E
KPZ 2NM	750/1500 kg	200/500 g	1000 x 1000	No	2NM010101500
KPZ 2EN	1500 kg	500 g	1000 x 1000	Yes (III) M	2N001010150E
KPZ 2EN	1500 kg	500 g	1000 x 1250	Yes (III) M	2N001012150E
KPZ 2EN	1500 kg	500 g	1250 x 1250	Yes (III) M	2N001212150E
KPZ 2EN	3000 kg	1000 g	1250 x 1250	Yes (III) M	2N001212300E
KPZ 2NM	1500/3000 kg	500/1000 g	1250 x 1250	No	2NM012123000
KPZ 2EN	1500 kg	500 g	1250 x 1500	Yes (III) M	2N001215150E
KPZ 2EN	3000 kg	1000 g	1250 x 1500	Yes (III) M	2N001215300E
KPZ 2NM	1500/3000 kg	500/1000 g	1250 x 1500	No	2NM012153000
KPZ 2EN	1500 kg	500 g	1500 x 1500	Yes (III) M	2N001515150E
KPZ 2EN	3000 kg	1000 g	1500 x 1500	Yes (III) M	2N001515300E
KPZ 2NM	1500/3000 kg	500/1000 g	1500 x 1500	No	2NM015153000
KPZ 2EN	3000 kg	1000 g	1500 x 2000	Yes (III) M	2N001520300E
KPZ 2NM	1500/3000 kg	500/1000 g	1500 x 2000	No	2NM015203000

In above mentioned products KPZ applies only EU approved components

KPZ 2N price includes indicator KPZ 52E-9-1

Calibration protocol as option. Price on request.

Option: Cash register system connection!



2 Range
division

Options / accessories / extra charge	Article-No.
Indicators: Options (extra cost)	
Delivery without Indicator KPZ 52E-9-1 REDUCED PRICE	12N52E91OHNE
Indicator KPZ 51E-9-2, Stainless steel housing (IP 67), High/OK/LOW, 10 Memory	12N51E920000
Printers: Options (extra cost) + costs for output RS 232	
Roller printer FAVORIT Plus, for KPZ 51(E)-*,	120024000000
Label printer and code printer type DR 2 for KPZ 56E-3, KPZ 51E-9-2	120038000000
Print design for DR 2 on request	204333100000
serial interface / Setpoints: Options / extra costs	
Serial interface RS232 C for KPZ 52E-9-1	123071000000
Serial interface RS232 C for KPZ 51E-9-2	123072000000
Setpoints, 3 pcs for KPZ 51E-9-2 (more – OK – less)	120029002000
Software "KPZ Smart Scale" STANDARD (incl. RS232 serial interface)	5S0001000000
Software "KPZ Smart Scale" PROFESSIONAL (incl. RS232 serial interface)	5S0005000000
Software "KPZ Smart Scale" PREMIUM (incl. RS232 serial interface)	5S0010000000
Wi-Fi Datatransfer	120005000000
Rechargeable battery version KPZ 52E-9-1, 51E-9-2	120040000000
weights & measures certification (extra charge)	
KPZ Factory first certification from 550 kg up to 3.000 kg	300PL0003000
construction accessories (extra charge)	
Indicator stand for KPZ 52E-9-1, 51E-9-2 Stainless Steel	1N0200000000



Options		Article-Nr.
Pitframe		
Pitframe for KPZ 2N, 800 x 800 mm up to 3t		25N008083000
Pitframe for KPZ 2N, 1000 x 1000 mm up to 3t		25N010103000
Pitframe for KPZ 2N, 1000 x 1250 mm up to 3t		25N010123000
Pitframe for KPZ 2N, 1250 x 1250 mm up to 3t		25N121230000
Pitframe for KPZ 2N, 1250 x 1500 mm up to 3t		25N121530000
Pitframe for KPZ 2N; 1500 x 1500 mm up to 3t		25N015153000
Pitframe for KPZ 2N, 1500 x 2000 mm up to 3t		25N015203000

Ramps KPZ 2N (Stainless steel)			
fits	ramp dimension		
KPZ 2N 800 x 800 mm up to 3t	800 mm wide, 800 mm long		21N008083000
KPZ 2N 1000 x 1000 mm up to 3t	1000 mm wide, 800 mm long		21N008103000
KPZ 2N 1000 x 1250 mm up to 3t	1000 mm wide, 800 mm long		21N008103000
KPZ 2N 1250 x 1250 mm up to 3t	1250 mm wide, 800 mm long		21N008123000
KPZ 2N 1250 x 1500 mm up to 3t	1250 mm wide, 800 mm long		21N008123000
KPZ 2N 1500 x 1500 mm up to 3t	1500 mm wide, 800 mm long		21N008153000
KPZ 2N 1500 x 1500 mm up to 3t	1500 mm wide, 1500 mm long		21N015153000

Packing dimension		
Model	scale capacity	packing dimension
KPZ 2 N 800 x 800	Up to 1500kg	80 x 120 x 50 cm , 80 kg
KPZ 2 N 1000 x 1000	Up to 1500kg	130 x 100 x 50 cm, 100 kg
KPZ 2 N 1000 x 1250	Up to 1500kg	130 x 100 x 50 cm, 100 kg
KPZ 2 N 1250 x 1250	Up to 3000kg	130 x 135 x 50 cm 135 kg
KPZ 2 N 1250 x 1500	Up to 3000kg	130 x 160 x 50 cm. 160 kg
KPZ 2 N 1500 x 1500	Up to 3000kg	160 x 160 x 50 cm 190 kg
KPZ 2 N 1500 x 2000	Up to 3000kg	160 x 200 x 50 cm 330 kg


Low Construction scale type KPZ 2 DN

Stainless steel construction (Material DIN 1.4301), solid and stable, high quality for long operating life, plain plate, 1 element, includes 1x ramp.

Weighing system: high quality DMS load cells stainless steel, IP 68, type 502E-3N, OIML C3. Stainless steel, adjustable feet.

Indicator: KPZ 52E-9-1, with 5 m cable (option: delivery without indicator).

Certificate: EU type approved class III, CE conform.



Other capacity, division, option and dimension on request.

Calibration protocol as an option. Price on request.


Type	Capacity	Division	Dim. mm	Approval possible		Article-No.
KPZ 2DN	150 kg	50 g	800 x 800 x 45	Yes (III) M		2DN00808015E
KPZ 2DNM	150/300 kg	50/100 g	800 x 800 x 45	No		2DNM08080300
KPZ 2DN	300 kg	100 g	800 x 800 x 45	Yes (III) M		2DN00808030E
KPZ 2DN	600 kg	200 g	800 x 800 x 45	Yes (III) M		2DN00808060E
KPZ 2DNM	300/600 kg	100/200 g	800 x 800 x 45	No		2DNM08080600
KPZ 2DNM	750/1500 kg	200/500 g	800 x 800 x 45	No		2DNM08081500
KPZ 2DN	600 kg	200 g	1060 x 1250 x 45	Yes (III) M		2DN01112060E
KPZ 2DNM	750/1500 kg	200/500 g	1060 x 1250 x 45	No		2DNM11121500
KPZ 2DN	1500 kg	500 g	1060 x 1250 x 45	Yes (III) M		2DN01112150E
KPZ 2DN	600 kg	200 kg	1250 x 1250 x 45	Yes (III) M		2DN01212060E
KPZ 2DNM	750/1500 kg	200/500 g	1250 x 1250 x 45	No		2DNM12121500
KPZ 2DN	1500 kg	500 g	1250 x 1250 x 45	Yes (III) M		2DN01212150E
KPZ 2DN	600 kg	200 kg	1250 x 1500 x 45	Yes (III) M		2DN01215060E
KPZ 2DNM	750/1500 kg	200/500 g	1250 x 1500 x 45	No		2DNM12151500
KPZ 2DN	1500 kg	500 g	1250 x 1500 x 45	Yes (III) M		2DN01215150E
KPZ 2DN	600 kg	200 kg	1500 x 1500 x 45	Yes (III) M		2DN01515060E
KPZ 2DNM	750/1500 kg	200/500 g	1500 x 1500 x 45	No		2DNM15151500
KPZ 2DN	1500 kg	500 g	1500 x 1500 x 45	Yes (III) M		2DN01515150E

Options / accessories / extra charge		Article-No.
Indicators: Options (extra cost)		
Delivery without Indicator KPZ 52E-9-1 REDUCED PRICE		12N52E91OHNE
Indicator KPZ 51E-9-2, Stainless steel housing (IP 67), High/OK/LOW, 10 Memory		12N51E920000
Printers: Options (extra cost) + costs for output RS 232		
Roller printer FAVORIT Plus, for KPZ 51(E)-*,		120024000000
Label printer and code printer type DR 2 for KPZ 56E-3, KPZ 51E-9-2		120038000000
Print design for DR 2 on request		204333100000
serial interface / Setpoints: Options / extra costs		
Serial interface RS232 C for KPZ 52E-9-1		123071000000
Serial interface RS232 C for KPZ 51E-9-2		123072000000
Setpoints, 3 pcs for KPZ 51E-9-2 (more – OK – less)		120029002000
Software "KPZ Smart Scale" STANDARD (incl. RS232 serial interface)		5S0001000000
Software "KPZ Smart Scale" PROFESSIONAL (incl. RS232 serial interface)		5S0005000000
Software "KPZ Smart Scale" PREMIUM (incl. RS232 serial interface)		5S0010000000
Wi-Fi Datatransfer		120005000000
Rechargeable battery version KPZ 52E-9-1, 51E-9-2		120040000000
weights & measures certification (extra charge)		
KPZ Factory first certification from 550 kg up to 3.000 kg		300PL0003000
construction accessories (extra charge)		
Indicator stand for KPZ 52E-9-1, 51E-9-2 Stainless Steel		1N0200000000



Low Construction scale type KPZ 2 DN

Options



Options / accessories / extra charge		Article-Nr.
Go through stop		
Go through stop for KPZ 2 DN dim. 800 x 800 mm		2DN001101500
Go through stop for KPZ 2 DN dim. 1250 x 1060 mm		2DN000131500
Go through stop for KPZ 2 DN dim. 1250 x 1500 mm		2DN001151500
Go through stop for KPZ 2 DN dim. 1500 x 1500 mm		2DN001171500

Options accessories / extra charge			
Ramp for KPZ 2DN			
fits	Ramp dimension		
KPZ 2 DN 800 x 800 mm	800 mm wide, 500 mm long		21DN05081200
KPZ 2 DN 1060 x 1250 mm	1060 mm wide, 500 mm long		21DN05111500
KPZ 2 DN 1250 x 1250 mm	1250 mm wide, 500 mm long		21DN05121500
KPZ 2 DN 1500 x 1500 mm	1500 mm wide, 500 mm long		21DN05151500

Packing dimension		
Type	Scale Capacity	Packing Dim.
KPZ 2DN 800 x 800 mm	Up to 3000kg	80 x 120 x 50 cm, 105 kg
KPZ 2DN 1060 x 1250 mm	Up to 3000kg	130 x 130 x 50 cm, 180 kg
KPZ 2DN 1250 x 1250 mm	Up to 3000kg	130 x 160 x 50 cm, 225 kg
KPZ 2DN 1250 x 1500 mm	Up to 1500kg	160 x 160 x 50 cm, 255 kg
KPZ 2DN 1500 x 1500 mm	Up to 1500kg	160 x 200 x 50 cm, 315 kg

We reserve the right to make changes without prior notification

KPZ Precision scale

Digital scale type KPZ 2-02-2

Incl. battery, stainless steel platform and power supply



Klasse
III

Type	Capacity	Division	Approval possible	Dim. mm		Article-No
2022/E3	3.000g	1g	M	315 x 220		2022E0030000
2022/E6	6.000g	2g	M	315 x 220		2022E0060000
2022/E15	15.000g	5g	M	315 x 220		2022E0150000
2022/E30	30.000g	10g	M	315 x 220		2022E0300000
2022/3H	3.000g	0,1g	No	315 x 220		2022H0030000
2022/6H	6.000g	0,2g	No	315 x 220		2022H0060000
2022/15H	15.000g	0,5g	No	315 x 220		2022H0150000
2022/30H	30.000g	1g	No	315 x 220		2022H0300000

High resolution, Precision scale type KPZ 2-03-4

Stainless steel weighing platform. Incl. rechargeable battery: 230VAC 50/60Hz, and Adapter



Klasse
III

Type	Capacity	Division	Dim. mm	Approval possible		Article-No
2-03-3/15k	15000g	1,0g	320 x 255 mm	No		203715000000
2-03-3/30k	30000g	2,0g	320 x 255 mm	No		203730000000
2-03-3/6/12k	6000/12000g	2/5g	320 x 255 mm	Yes (III) M		203E3M120000
2-03E-3/15.000	15000 g	5,0g	320 x 255 mm	Yes (III) M		203E31500000
2-03-3/15/30k	15000/30000g	5/10g	320 x 255 mm	Yes (III) M		203E3M300000
2-03E-3/30.000	30000 g	10,0g	320 x 255 mm	Yes (III) M		203E33000000

Other capacity, division, option and dimension on request.
Calibration protocol as an option. Price on request.

2 Range
division

Options (extra charge)

Capacities, certification and division:

Options (extra charge)	Article-Nr
KPZ Factory first certification for scales up to 50 kg	300100300000
Schale, rostfrei Stahl, 246 x 222 x 42 mm	204300080000
Serial interface RS 232	203100070000
Printer DR 7	120039000000
Printer DR 7 with date & time	120039100000

Packing dimension

Type	Capacity	Packing dimension
KPZ 2-03-4	All	41 x 38 x 20 cm, 5,5 kg

Waterproof scale type KPZ 2-03E-10 IP 65

Stainless steel weighing platform. Incl. rechargeable battery: 230VAC 50/60Hz, and Adapter



Calibration protocol as an option. Price on request.

Type	Capacity	Division	Dim. mm	Approval possible		Article-No.
2-03-10/6000	6000g	1,0g	192 x 225 mm	No		203106000000
2-03-10/30k	30000g	5,0g	192 x 225 mm	No		203130000000
2-03E-10/6k	6000g	2,0g	192 x 225 mm	YES		203E10060000
2-03E-10/15k	15000g	5,0g	192 x 225 mm	YES		203E10150000

Packing dimension

Type	Capacity	Packing dimension
KPZ 2-03-10	All	37 x 31 x 25 cm, 4,2 kg

We reserve the right to make changes without prior notification

KPZ Precision counting scale

Counting scale type KPZ 2-04-4

Stainless steel weighing platform. Incl. rechargeable battery: 230VAC 50/60Hz, and Adapter



Klasse
III

Type	Capacity	Division	Dim. mm	Approval possible		Article-No.
2-04-4/6000	6000g	0,2g	320 x 250 mm	No		204406000000
2-04-4/30000	30000g	1,0g	320 x 250 mm	No		204430000000
2-04-4/15k	15000g	1g	320 x 250 mm	No		204515000000
2-04-4/30k	30000g	2g	320 x 250 mm	No		204530000000
2-04E-4/15.000	15000 g	5,0g	320 x 250 mm	Yes III M		204E41500000
2-04E-4/30.000	30000 g	10,0g	320 x 250 mm	Yes III M		204E43000000

Other capacity, division, option and dimension on request.
Calibration protocol as an option. Price on request.

2 Range
division

Options / accessories / extra charge	Article-Nr
KPZ Factory first certification for scales up to 50 kg	300100300000
Stainless steel platform, 246 x 222 x 42 mm	204300080000
Serial interface RS 232 incl. PT and Addition	204300070002
Serial interface RS 232 incl. RTC, w/out PT, w/out addition	204300070001
Printer DR 7	120039000000
Printer DR 7 with date & time	120039100000
Label printer DR 2 for RS 232, KPZ 2-04-4	204333000000
Print desing for DR 2 on request	204333100000

Packingdimension

Type	Capacity	Packing dimension
KPZ 2-04-4	All	41 x 38 x 20 cm, 5,5 kg

We reserve the right to make changes without prior notification



Reference counting scales Typ KPZ 2-04-8

incl. Battery and power supply.



Typ	Capacity	Division	Dim. mm	Approval		Artikel-Nr.
2-04-8/3000	3000 g	0,05 g	230x300 mm	No		204803000000
2-04-8/6000	6000 g	0,1g	230x300 mm	No		204806000000
2-04-8/15000	15000 g	0,2 g	230x300 mm	No		204801500000

Option / extra charge		Artikel-Nr.
Serial interface RS 232		204300070001
Printer DR 7		120039000000
Printer DR 7 with date & time		120039100000



Bench scale type KPZ 2E06S

Welded steel construction (from rectangular pipe), powder painted. Stainless steel platform. 230 V operation/ battery.

Load cells: 1 aluminium single point DMS Wägezelle, IP 67

Indicator: KPZ 52E-8 (option: delivery without indicator)

Certificate: EU type approved class III.

Other capacity, division, option and dimension on request.

Calibration protocol as an option. Price on request.



Type	Capacity	Division	Indicator	Approval possible	Dim. mm	Article-Nr
KPZ 206A	7,5 kg	0,5g	KPZ 52-18	No	300 x 400 x 120	206A00063400
KPZ 2E06A	6 kg	2g	KPZ 52E8	Yes (III) M		2E06A0006340
KPZ 206A	15 kg	1g	KPZ 52-18	No		206A00153400
KPZ 206AH	15 kg	0,5g	KPZ 52-18	No		2H06A0015340
KPZ 2E06A	15 kg	5g	KPZ 52E8	Yes (III) M		2E06A0015340
KPZ 2E06AM	15/30 kg	5/10g	KPZ 52E8	Yes (III) M		2E06AM030340
KPZ 206AH	30 kg	1g	KPZ 52-18	No		2H06A0030340
KPZ 206A	30 kg	2g	KPZ 52-18	No		206A00303400
KPZ 2E06A	30 kg	10g	KPZ 52E8	Yes (III) M		2E06A0030340
KPZ 206AH	60 kg	2g	KPZ 52-18	No		2H06A0060340
KPZ 206A	75 kg	5g	KPZ 52-18	No		206A00603400
KPZ 2E06A	60 kg	20g	KPZ 52E8	Yes (III) M		2E06A0060340
KPZ 206S	30 kg	2g	KPZ 52-18	No	420 x 520 x 120	206S00304500
KPZ 206SH	30 kg	1g	KPZ 52E91	No		2H06S0030450
KPZ 2E06S	30 kg	10g	KPZ 52E8	Yes (III) M		2E06S0030450
KPZ 2E06SM	30/60 kg	10/20g	KPZ 52E91	Yes (III) M		2E06SM060450
KPZ 206S	75kg	5g	KPZ 52-18	No		206S00604500
KPZ 206SH	60kg	2g	KPZ 52E91	No		2H06S0060450
KPZ 2E06S	60kg	20g	KPZ 52E8	Yes (III) M		2E06S0060450
KPZ 2E06SM	60/120 kg	20/50g	KPZ 52E91	Yes (III) M		2E06SM120450
KPZ 206S	150 kg	10g	KPZ 52-18	No		206S01504500
KPZ 2E06S	150 kg	50g	KPZ 52E8	Yes (III) M		2E06S0150450
KPZ 206S	75kg	5g	KPZ 52-18	No	460 x 600 x 130	206S00604600
KPZ 2E06S	60kg	20g	KPZ 52E8	Yes (III) M		2E06S0060460
KPZ 2E06S	150 kg	10g	KPZ 52-18	No		206S01504600
KPZ 2E06S	150 kg	50g	KPZ 52E8	Yes (III) M		2E06S0150460
KPZ 2E06S	150/300 kg	50/100g	KPZ 52E91	Yes (III) M		2E06SM300460
KPZ 206S	300 kg	20g	KPZ 52-18	No		206S03004600
KPZ 2E06S	300 kg	100g	KPZ 52E8	Yes (III) M		2E06S0300460
KPZ 206S	75 kg	5g	KPZ 52-18	No	600 x 600 x 150	206S00606600
KPZ 2E06S	60 kg	20g	KPZ 52E8	Yes (III) M		2E06S0060660
KPZ 206S	150 kg	10g	KPZ 52-18	No		206S01506600
KPZ 2E06S	150 kg	50g	KPZ 52E8	Yes (III) M		2E06S0150660
KPZ 206S	300 kg	20g	KPZ 52-18	No		206S03006600
KPZ 2E06S	300 kg	100g	KPZ 52E8	Yes (III) M		2E06S0300660
KPZ 206S	75 kg	5g	KPZ 52-18	No	600 x 800 x 150	206S00606800
KPZ 2E06S	60 kg	20g	KPZ 52E8	Yes (III) M		2E06S0060680
KPZ 206S	150 kg	10g	KPZ 52-18	No		206S01506800
KPZ 2E06S	150 kg	50g	KPZ 52E8	Yes (III) M		2E06S0150680
KPZ 206S	300 kg	20g	KPZ 52-18	No		206S03006800
KPZ 2E06S	300 kg	100g	KPZ 52E8	Yes (III) M		2E06S0300680
KPZ 206S	500 kg	50g	KPZ 52-18	No		206S05006800
KPZ 2E06S	500 kg	200g	KPZ 52E8	Yes (III) M		2E06S0500680
KPZ 206S	75 kg	5g	KPZ 52E8	No	800 x 800 x 150	206S00608800
KPZ 206S	150 kg	10g	KPZ 52E8	No		206S01508800
KPZ 206S	150 kg	50g	KPZ 52E8	No		206S01508800
KPZ 206S	300 kg	20g	KPZ 52E8	No		206S03008800
KPZ 206S	300 kg	100g	KPZ 52E8	No		206S03008800
KPZ 206S	500 kg	50g	KPZ 52E8	No		206S05008800

Calibration protocol as an option. Price on request.

In above mentioned products KPZ applies only EU approved components



2 Range
division

We reserve the right to make changes without prior notification



Bench scale type KPZ 2E06S Options



Options / accessories / extra charge		Article-Nr
Indicators: Options (extra cost)		
Delivery without Indicator KPZ 52E-8, REDUCED PRICE		1252E8OHNE00
Delivery without Indicator KPZ 52-18, REDUCED PRICE		125218OHNE00
Indicator KPZ 52E-8 instead of KPZ 52-18		1252E8000000
Indicator KPZ 52E-8/1, with pre tare and easy counting instead of KPZ 52E-8		120030000000
Indicator KPZ 52E-8/1, with pre tare and easy counting instead of KPZ 52-18		12J030000000
Indicator KPZ 56E-3, professional counting, addition, Tare input by hand, instead of KPZ 52E-8		120324000000
Indicator KPZ 56E-3, professional counting, addition, Tare input by hand, instead of KPZ 52-18		120324000000
Indicator KPZ 52E-9-1, Stainles steel housing (IP 67) easy counting instead of KPZ 52E-8		1252E9100000
Indicator KPZ 52E-9-1, Stainles steel housing (IP 67) easy counting instead of KPZ 52-18		1252J9100000
Indicator KPZ 51E-9-2, Stainles steel housing (IP 67), High/OK/LOW, 10 Memory instead of KPZ 52E-8		1251E9200000
Indicator KPZ 51E-9-2, Stainles steel housing (IP 67), High/OK/LOW, 10 Memory instead of KPZ 52-18		1251J9200000
Printers: Options (extra cost) + costs for output RS 232		
Roller printer FAVORIT Plus, for KPZ 51(E)*,		120024000000
Printer DR 7		120039000000
Printer DR 7 with date & time		120039100000
Label printer and code printer type DR 2 for KPZ 56E-1, KPZ 51E-9-2		120038000000
Print design for DR 2 on request		204333100000
serial interface / Setpoints: Options / extra costs		
Serial interface RS232 C for KPZ 52E-8		1252E8000100
Serial interface RS232 C for KPZ 52-18		511830700000
Serial interface RS232 C for KPZ 52E-9-1		123071000000
Serial interface RS232 C for KPZ 51E-9-2		123072000000
Serial interface RS232 C for KPZ 56E-3 incl. PT and Addition		123080000000
Serial interface RS232 C for KPZ 56E-3 incl. RTC, w/out PT, w/out Addition		204300070000
Setpoints, 3 pcs for KPZ 52(E)-8 (more – OK – less)		120029001000
Setpoints, 3 pcs for KPZ 51E-9-2 (more – OK – less)		120029002000
Software "KPZ Smart Scale" STANDARD (incl. RS232 serial interface)		5S0001000000
Software "KPZ Smart Scale" PROFESSIONAL (incl. RS232 serial interface)		5S0005000000
Software "KPZ Smart Scale" PREMIUM (incl. RS232 serial interface)		5S0010000000
Wi-Fi Datatransfer		120005000000
Rechargable battery version KPZ 51(E)-8, 56E-1, 51E-9-1, 51E-9-2		120040000000
Options (extra charge)		
Table version without stamp, 2,5 m cable, incl. waterlable		2E06S0000600
Wall mounting for indicator		1S0020000000
KPZ Factory first certification up to 50 kg		300100300000
KPZ Factory first certification up to 500 kg		300PL0000500

Packing dimension		
Type	Platform	Packing dimension
KPZ 2-06-S	300 x 400 x 120 mm	890 x 390 x 250 mm, 11 kg
KPZ 2-06-S	420 x 520 x 120 mm	830 x 450 x 290 mm, 20 kg
KPZ 2-06-S	460 x 600 x 150 mm	1200 x 800 x 400 mm, 36 kg
KPZ 2-06-S	600 x 600 x 150 mm	1200 x 800 x 400 mm, 47 kg
KPZ 2-06-S	600 x 800 x 150 mm	1200 x 800 x 400 mm, 51 kg
KPZ 2-06-S	800 x 800 x 150 mm	1200 x 800 x 400 mm, 59 kg


we reserve the right to make changes without prior notification

Bench scale type KPZ 2E06N

Solid, welded stainless steel construction with robust stainless steel platform.

Load cells: 1 stainless steel singlepoint DMS load cell, IP 67

Certificate: EU type approved class III



Complete Scale Stainless Steel

Type	Capacity	Division	Indicator	Approval possible	Dim. mm	Article-No.
KPZ 206N	6 kg	0,5g	KPZ 52E91	No	250 x 300 x 120	206N00062300
KPZ 2E06N	6 kg	2g	KPZ 52E91	Yes (III)		2E06N0006230
KPZ 206N	15 kg	1g	KPZ 52E91	No		206N00152300
KPZ 2E06N	15 kg	5g	KPZ 52E91	Yes (III)		2E06N0015230
KPZ 206N	30 kg	2g	KPZ 52E91	No		206N00302300
KPZ 2E06N	30 kg	10g	KPZ 52E91	Yes (III)		2E06N0030230
KPZ 206N	15 kg	1g	KPZ 52E91	No	300 x 400 x 150	206N00153400
KPZ 2E06N	15 kg	5g	KPZ 52E91	Yes (III)		2E06N0015340
KPZ 206N	30 kg	2g	KPZ 52E91	No		206N00303400
KPZ 2E06N	30 kg	10g	KPZ 52E91	Yes (III)		2E06N0030340
KPZ 206N	75 kg	5g	KPZ 52E91	No		206N00753400
KPZ 2E06N	60 kg	20g	KPZ 52E91	Yes (III)		2E06N0060340
KPZ 206N	30 kg	2g	KPZ 52E91	No	420 x 520 x 150	206N00304500
KPZ 2E06N	30 kg	10g	KPZ 52E91	Yes (III)		2E06N0030450
KPZ 206N	75kg	5g	KPZ 52E91	No		206N00754500
KPZ 2E06N	60kg	20g	KPZ 52E91	Yes (III)		2E06N0060450
KPZ 206N	150 kg	10g	KPZ 52E91	No		206N01504500
KPZ 2E06N	150 kg	50g	KPZ 52E91	Yes (III)		2E06N0150450
KPZ 206N	75 kg	5g	KPZ 52E91	No	600 x 600 x 150	206N00756600
KPZ 2E06N	60 kg	20g	KPZ 52E91	Yes (III)		2E06N0060660
KPZ 206N	150 kg	10g	KPZ 52E91	No		206N01506600
KPZ 2E06N	150 kg	50g	KPZ 52E91	Yes (III)		2E06N0150660
KPZ 206N	300 kg	20g	KPZ 52E91	No		206N03006600
KPZ 2E06N	300 kg	100g	KPZ 52E91	Yes (III)		2E06N0300660
KPZ 206N	75 kg	5g	KPZ 52E91	No	600 x 800 x 150	206N00756800
KPZ 2E06N	60 kg	20g	KPZ 52E91	Yes (III)		2E06N0060680
KPZ 206N	150 kg	10g	KPZ 52E91	No		206N01506800
KPZ 2E06N	150 kg	50g	KPZ 52E91	Yes (III)		2E06N0150680
KPZ 206N	300 kg	20g	KPZ 52E91	No		206N03006800
KPZ 2E06N	300 kg	100g	KPZ 52E91	Yes (III)		2E06N0300680

Other capacity, division, option and dimension on request.
Calibration protocol as an option. Price on request.


2 Range
division

Options / accessories / extra charge	Article-Nr.
Indicators: Options (extra cost)	
Indicator KPZ 51E-9-2, Stainless steel housing (IP 67), High-Ok-Low checking	12N51E920000
Printers: Options (extra cost) + costs for output RS 232	
Roller printer FAVORIT Plus for RS 232 (for small scales)	203423000000
Label printer and codeprinter DR2 for indicator KPZ 56E-1	120034000000
Print design for DR 2 on request	204333100000



Bench scale type KPZ 2E06N

Options



serial interface / Setpoints: Options / extra costs		
Serial interface RS232 C for KPZ 52E-9-1		123071000000
Serial interface RS232 C for KPZ 51E-9-2		123072000000
Setpoints, 3 pcs for KPZ 51E-9-2 (more – OK – less)		120029002000
weights & measures certification (extra charge)		
KPZ Factory first certification up to 50 kg		300100300000
KPZ Factory first certification up to 500 kg		300115000000

Options / accessories / extra charge	Article-Nr.
Table version without stamp, 2,5 m cable, incl. waterlabe	2E06N0000600
Front indicator holder on the shorter side of scale	2E06N0003000
Front indicator holder on the longer side of scale	2E06N0004000

Packing dimension		
Type	Platform	Packing dimension
KPZ 2E06N	250 x 300 x 120 mm	730 x 330 x 170 mm, 10 kg
KPZ 2E06N	300 x 400 x 150 mm	890 x 390 x 250 mm, 11 kg
KPZ 2E06N	420 x 520 x 150 mm	830 x 450 x 290 mm, 20 kg
KPZ 2E06N	600 x 600 x 150 mm	1200 x 800 x 400 mm, 47 kg
KPZ 2E06N	600 x 800 x 150 mm	1200 x 800 x 400 mm, 51 kg

We reserve the right to make changes without prior notification

Bench scale type 2E-06-5

incl. Indicator KPZ 52E-9-1, IP67.

Robust, welded **Stainless Steel** construction, with stainless steel platform.

Load cells: 1 stainless steel single point DMS load cell, IP 67

Certificate: EU type approved class III

Complete Scale Stainless Steel



Typ	Capacity	Division	Approval possible	Dim. mm	Article-No.
KPZ 2E065	6 kg	0,2 g	No	260 x 300 mm	206500000623
KPZ 2E065	6 kg	2 g	Yes (II)		2E0650000623
KPZ 2E065	15 kg	0,5 g	No		206500001523
KPZ 2E065	15 kg	5 g	Yes (II)		2E0650001523
KPZ 2E065	30 kg	1 g	No		206500003023
KPZ 2E065	30 kg	10 g	Yes (II)		2E0650003023

Other capacity, division, option and dimension on request.

Calibration protocol as an option. Price on request.

2 Range
division

Options / accessoires / extra charge	Article-Nr.
Indicators: Options (extra cost)	
Indicator KPZ 51E-9-2, Stainles steel housing (IP 67), High/OK/LOW, 10 Memory	12N51E920000
Printers: Options (extra cost)	
Roller printer FAVORIT Plus for RS 232 (for small scales)	203423000000
Label printer and codeprinter DR2	120034000000
Print design for DR 2 on request	204333100000
serial interface / Setpoints: Options / extra costs	
Serial interface RS232 C for KPZ 52E-9-1	123071000000
Serial interface RS232 C for KPZ 51E-9-2	123072000000
Setpoints, 3 pieces for KPZ 51E-9-2 (more – OK – less)	120029002000
weights & measures certification (extra charge)	
KPZ Factory first certification up to 50 kg	300100300000

Packing dimension		
Type	Platform	Packing dimension
KPZ 2E-06-5	30kg	35 x 45 x 65 cm, 15 kg

We reserve the right to make changes without prior notification



Bench scale type KPZ 2-11-3 incl. adaptor Standard version with indicator KPZ 51-16 :

Robust, high quality bench scale, stable powder painted construction.

1 aluminium singlepoint DMS load cell, IP 67, 230V

Calibration protocol as an option. Price on request.



Type	Indicator	Capacity	Division	Dim. mm	PLN/pc.	Article-No.
2-11-3/36	KPZ 51-16-1	36kg	5g	360 x 310 mm		211300360500
2-11-3/40	KPZ 51-16-1	40kg	10g	360 x 310 mm		211300401000
2-11-3/60	KPZ 51-16-1	60kg	10g	360 x 310 mm		211300601000
2-11-3/60	KPZ 51-16	60kg	20g	360 x 310 mm		211300600000
2-11-3/75	KPZ 51-16-1	75kg	20g	360 x 310 mm		211300750000
2-11-3/60	KPZ 51-16-1	60kg	50g	550 x 550 mm		211300605000


Options / accessories / extra charge	Article-No.
Accu version KPZ 2-11-3	211300600100
Stainless steel platform, 360 x 310mm	211300090000
Mignon batteries 1 Pack = 4 pieces	211300010000
Wall mounting for KPZ 2-11-3	211300600400

Packing dimension		
Type	Platform	Packing dimension
KPZ 2-11-3	360x310 cm	57 x 37 x 12 cm, 7,0 kg
KPZ 2-11-3	550x550 cm	58 x 58 x 12 cm 8,5 kg

We reserve the right to make changes without prior notification

NEW High resolution version = External division 1/30.000 d

Bench scale type KPZ 2-11-3, High resolution version
with power cable and indicator KPZ 52E-9-1. Construction cast
aluminium, powder painted, platform powder painted



Type	Indicator	Capacity	Division	Dim. mm	Article-No.
2-11-3/15	52E91	15kg	0,5g	350 x 300 mm	2113H0015000
2-11-3/30	52E91	30kg	1,0g	350 x 300 mm	2113H0030000
2-11-3/60	52E91	60kg	2,0g	350 x 300 mm	2113H0060000

Options / accessories / extra charge	Article-No.
Indicators: Options (extra cost)	
Indicator KPZ 51E-9-2, Stainles steel housing (IP 67), High/OK/LOW, 10 Memory	12N51E920000
Printers: Options (extra cost) + costs for output RS 232	
Roller printer FAVORIT Plus, for KPZ 51(E)-*,	120024000000
Label printer and code printer type DR 2 for KPZ 56E-3, KPZ 51E-9-2	120038000000
Print design for DR 2 on request	204333100000
serial interface / Setpoints: Options / extra costs	
Serial interface RS232 C for KPZ 52E-9-1	123071000000
Serial interface RS232 C for KPZ 51E-9-2	123072000000
Setpoints, 3 pcs for KPZ 51E-9-2 (more – OK – less)	120029002000
Software "KPZ Smart Scale" STANDARD (incl. RS232 serial interface)	5S0001000000
Software "KPZ Smart Scale" PROFESSIONAL (incl. RS232 serial interface)	5S0005000000
Software "KPZ Smart Scale" PREMIUM (incl. RS232 serial interface)	5S0010000000
Wi-Fi Datatransfer	120005000000
Rechargable battery version KPZ 52E-9-1, 51E-9-2	120040000000
construction accessories (extra charge)	
Stainless steel platform, for platform 360 x 310mm	211300090000

Packing dimension		
Type	Capacity	Packing dimension
KPZ 2-11-3 / 51E-9-1	Up to 60kg	57 x 37 x 25 cm, 10,0 kg

We reserve the right to make changes without prior notification



VET Digital Platform scale type KPZ 2-11-4

Incl. internal battery, charger 230 VAC

Stainless steel platform.

Calibration protocol on request.



Typ	Capacity	Division	Approval possible	Dim. mm		Article-No
KPZ 2-11-4	150 / 300 kg	50 / 100 g	No	905 x 505 mm		211403000000

Option / extra charge					Artikel-Nr.
Stativ for KPZ 2-11-4					211400000100

Crane scale type KPZ 3

Hydraulic version

Maintenance free, complete with top loading ring and self-locking hook



Typ	Kapazität	Teilung	Artikel-Nr.
KPZ 3	200 kg	1 kg	130020000000
KPZ 3	320 kg	2 kg	130032000000
KPZ 3	500 kg	2 kg	130050000000
KPZ 3	750 kg	5 kg	130075000000
KPZ 3	1250 kg	5 kg	130125000000
KPZ 3	2000 kg	10 kg	130200000000
KPZ 3	3200 kg	20 kg	130320000000
KPZ 3	5000 kg	20 kg	130500000000
KPZ 3	12500 kg	50 kg	131250000000
KPZ 3	25000 kg	100 kg	132500000000
KPZ 3	50000 kg	200 kg	135000000000
KPZ 3	85000 kg	500 kg	138500000000
portable case for KPZ 3			130000100000

Mechanical crane scale KPZ 301

Double spring version.

Robust spring mechanism, the housing is made of cast aluminium, complete with top loading ring and self-locking hook



Type	Capacity	Division	Article-Nr.
KPZ 301/200	200 kg	500 g	130102000000

Packingdimension

Type	Capacity	Packing dimension
KPZ 3	12,5t	55 x 36 x 12 cm, ab 4,5 kg
KPZ 301	200 kg	100 x 60 x 10 cm, 4,5 kg

We reserve the right to make changes without prior notification

Electronic crane scale, type KPZ 402

Fully digital crane scale complete with top loading ring and self-locking, battery and adapter.
Option: Data radio transfer.

Calibration protocol as an option. Price on request.



Type	Capacity	Division	Article-Nr.
KPZ 402/0003	300 kg	100 g	402000300000
KPZ 402/0006	600 kg	200 g	402000600000
KPZ 402/0015	1,5 t	500 g	402001500000
KPZ 402/0030	3,0 t	1,0 kg	402003000000
KPZ 402/0050	5,0 t	1,0 kg	402005000000
KPZ 402/0100	10,0 t	5,0 kg	402010000000
KPZ 402/0200	20,0 t	10,0 kg	402020000000
KPZ 402/0300	30,0 t	10,0 kg	402030000000
KPZ 402/0500	50,0 t	20,0 kg	402050000000
KPZ 402/1000	100,0 t	50,0 kg	402100000000

Options KPZ 402 and KPZ 402F / accessoires / extra charge	Article-Nr.
Remote control for KPZ 402 Function: Zero, tare, net and gross weight, on/off	402000003000
Change-accu	402000004000
anti-heat shield	402000001000
Serial interface RS232	402007000000

Other capacity, division, option and dimension on request

KPZ 402F – RADIO

Incl. Radio set to use with radio receiving indicator (options below)

Fully digital crane scale complete with top loading ring and self-locking, battery and adapter.

Option: Data radio transfer.

Calibration protocol as an option. Price on request.



Type	Capacity	Division	Article-Nr.
KPZ 402F/0015	1,5 t	500 g	402F00150000
KPZ 402F/0030	3,0 t	1,0 kg	402F00300000
KPZ 402F/0050	5,0 t	1,0 kg	402F00500000
KPZ 402F/0100	10,0 t	5,0 kg	402F01000000

Options KPZ 402 and KPZ 402F / accessories / extra charge	Article-Nr.
Remote control for KPZ 402 Function: Zero, tare, net and gross weight, on/off	402000003000
Change-battery	402000004000
anti-heat shield	402000001000
Serial interface RS232	402007000000
KPZ 402F F Hand- radio receiving indicator, LCD indicator with backlight	402F00002000
KPZ 402F F radio receiving indicator	402F00003000
KPZ 402F F large radio receiving indicator, incl. remote control	402F00004000
KPZ 402F F radio receiving indicator, with rollerprinter	402F00001000

Packing dimension

Type	Capacity	Packing dimension
KPZ 402	Up to 1,5t	41 x 36 x 23 cm, 15 kg
KPZ 402	3,0t	52 x 50 x 33 cm, 35 kg
KPZ 402	5,0t	52 x 50 x 33 cm, 37 kg
KPZ 402	10,0t	80 x 45 x 32 cm, 50 kg
KPZ 402	20,0t	100 x 56 x 46 cm, 110kg
KPZ 402	50,0 and 100,0t	On request

We reserve the right to make changes without prior notification

Electronic crane scale type KPZ 404E

Fully digital crane scale complete with top loading ring and self-locking hook, LED-display, infrared hand held transmitter, battery and adapter. Functions: Zero setting, tare, switch net/gross, 10-time High resolution displaying, on/off.

Calibration protocol as an option. Price on request.



Type	Capacity	Division	Approval	Article-Nr.
KPZ 404E	1,5 t	500 g	Yes (III) M	404E00150000
KPZ 404E	3,0 t	1,0 kg	Yes (III) M	404E00300000
KPZ 404E	5,0 t	2,0 kg	Yes (III) M	404E00500000

weights & measures certification (extra charge)

KPZ Factory first certification for capacity

up to 3000 kg	404E11500000
from 3000 kg up to 5.000 kg	404E11700000

Electronic crane scale type KPZ 405

Fully digital crane scale complete with top loading ring and self-locking hook, LED-display, battery and adapter.

Calibration protocol as an option. Price on request.



Type	Capacity	Division	Approval	Article-Nr.
KPZ 405	7,5 t	5 kg	No	405075000000
KPZ 405	10,0 t	5 kg	No	405100000000
KPZ 405	15,0 t	5 kg	No	405150000000

Electronic crane scale type KPZ 406

Fully digital crane scale complete with top loading ring and self-locking hook, LED-display, battery and adapter.

Calibration protocol as an option. Price on request.



Type	Capacity	Division	Approval	Article-Nr.
KPZ 406	500 kg	0,2 kg	No	406005000000
KPZ 406	1,0 t	0,5 kg	No	406010000000
KPZ 406	2,0 t	1,0 kg	No	406020000000
KPZ 406	3,0 t	1,0 kg	No	406030000000
KPZ 406	5,0 t	2,0 kg	No	406050000000
KPZ 406	10,0 t	5,0 kg	No	406100000000



KPZ Hand-cart/barrow scale type: KPZ 601

Compl. with indicator KPZ 51-16.

Steel powder painted construction

Capacity 150 kg, division 100 g; incl. battery and adapter.

Calibration protocol as an option. Price on request.



Type	Capacity	Division	Approval	Article-Nr.
KPZ 601	150kg	100g	No	601000000150

Options / accessories / extra charge		Article-Nr.
Printers: Options (extra cost) + costs for output RS 232		
Roller printer FAVORIT Plus,		171023000000
serial interface / Setpoints: Options / extra costs		
Serial interface RS 232 C for KPZ 51-16-1		171307000000

Packing dimension	
Type	Packing dimension
KPZ 601	1400x800x500 mm

Pallet truck type KPZ 71 – 7

Compl. with Indicator KPZ 52E- 7.

Steel powder painted, tandem polyurethan rollers, rubber steering wheels;

Incl. battery and adapter.

Load cells: 4 high quality DMS load cells KPZ 502E-3, IP 67

Certificate: EU type approved class III.

Option: built in printer.

Calibration protocol as an option. Price on request.



Klasse
III

Type	Capacity	Division	Approval possible		Article-No.
KPZ 71-7M	1200 kg	100g	No		717SH0001200
KPZ 71-7H	2200 kg	100g	No		717SH0002200
KPZ 71-7M	1100/2200 kg	100/200g	No		717SM0002200
KPZ 71-7	2500 kg	1000g	No		717S00002500
KPZ 71-7	3000 kg	1000g	No		717S00003000
KPZ 71-7E	2200 kg	1000 g	Yes (III) M		717S0000220E
KPZ 71-7E	1500 kg	500 g	Yes (II) M		717S0000150E
KPZ 71-7E	600 kg	200 g	Yes (II) M		717S0000060E
KPZ 71-7ME	1100/2200 kg	500/1000 g	Yes (III) M		717SM000220E
KPZ 71-7E	2500 kg	1000 g	Yes (III) M		717S0000250E
KPZ 71-7E	3000 kg	1000 g	Yes (III) M		717S0000300E

Other capacity, division, option and dimension on request.

Calibration protocol as an option. Price on request.

2 Range
division

Options/ accessories / extra charge	Article-Nr
Indicators: Options (extra cost)	
Indicator KPZ 52E-7/1, with pre tare and easy counting	171430000000
Indicator KPZ 52E-9-1, Stainles steel housing (IP 67) easy counting	171519100000
Indicator KPZ 51E-9-2, Stainles steel housing (IP 67), High/OK/LOW, 10 Memory	171519200000
Indicator KPZ 56E-4, professionale counting, addition, Tare input by hand, 10 Memory	171324000000
Indicator KPZ 58-2 reference piece counting scale, 2 t/500 g, 1 t/200 g, 0,5 t/100 g	171330000000
Printers: Options (extra cost) + costs for output RS 232	
Roller printer FAVORIT Plus, for KPZ 51(E)-*	171023000000
Label printer and codeprinter type DR 2 for KPZ 56E-4	171334000000
Print design for DR 2 on request	204333100000
serial interface / Setpoints: Options / extra costs	
Serial interface RS232 C for KPZ 52E-7	171307000000
Serial interface RS232 C for KPZ 52E-9-1	171307100000
Serial interface RS232 C for KPZ 51E-9-2	171307200000
Serial interface RS 232 C for KPZ 56E-4 incl. PT and addition	171030800000
Serial interface RS 232 C for KPZ 56E-4 incl. RTC, without PT, without addition	171030700000
Setpoints, 3 pcs for KPZ 52(E)-7 (more- OK - less)	171131000000
Software "KPZ Smart Scale" STANDARD (incl. RS232 serial interface)	5S0001000000
Software "KPZ Smart Scale" PROFESSIONAL (incl. RS232 serial interface)	5S0005000000
Software "KPZ Smart Scale" PREMIUM (incl. RS232 serial interface)	5S0010000000
Wi-Fi Datatransfer	120005000000
We reserve the right to make changes without prior notification	

Pallet truck type KPZ 71-7

Options



Options/ accessories / extra charge	Article-Nr
Construction options	
Hand break	171701000000
Turning housing for indicator KPZ 51E-7, range 320°	17151E704400
Quicklifting for KPZ 71-7	171700313000
Load wheel / Nylon	171415000000
Load wheel / Nylon, tandem	171415100000
Steering wheel / Nylon	171417000000
Steering wheel / Polyurethane	171417100000
Other forks width, 480 mm to 680 mm	171311000000
Other forks length, 850 mm to 1550 mm	171310000000
Other forks length, 1600 mm to 1800 mm	171320000000
Other forks length, 2000 mm and longer	171502050000
Galvanized version, nickel-plated load cells	171412000000
Forks cover plate, stainless steel	171413200000
1 set of nickel-plated load cells KPZ 71-*	171413100000
Exchangable battery	171704000000
weights & measures certification (extra charge)	
KPZ Factory first certification from 550 kg up to 3.000 kg	300PL0003000

Packing dimension	
Type	Packing dimension
KPZ 71-7	153 x 65 x 125 cm, ca. 155 kg

Other capacity, division, option and dimension on request.
Calibration protocol as an option. Price on request.

We reserve the right to make changes without prior notification

KPZ Pallet truck, type KPZ 71 – 7 N

complete with indicator KPZ 52E-9-1, IP67

Stainless steel 1.403, polyamide tandem rollers, incl. battery and adapter.

Load cells: 4 high quality DMS load cells KPZ 502E-3N, IP 67.

Certificate: EU type approved class III.

Complete stainless steel.

Calibration protocol as an option. Price on request.



Type	Capacity	Division	Approval possible		Article-No.
KPZ 71-7N, stainless steel	2000 kg	500g	No		717N00002000
KPZ 71-7N, stainless steel	1000/2000 kg	200/500g	No		717NM0002000
KPZ 71-7N, stainless steel	500/1000 kg	100/200g	No		717NM0001000
KPZ 71-7N, stainless steel	600kg	200g	Yes (III) M		717N0000060E
KPZ 71-7N, stainless steel	1500kg	500g	Yes (III) M		717N0000150E
KPZ 71-7N, stainless steel	2000kg	1000g	Yes (III) M		717N0000200E
Other capacity, division, option and dimension on request. Calibration protocol as an option. Price on request.					2 Range division

Options / accessories / extra charge	Article-Nr
Indicators: Options (extra cost)	
Indicator KPZ 51E-9-2, High/OK/LOW, 10 Memory, Stainless steel housing (IP 67)	12N51E920000
Printers: Options (extra cost) + costs for output RS 232	
Roller printer FAVORIT Plus, for KPZ 51(E)-, IP 54	171023000000
serial interface / Setpoints: Options / extra costs	
Serial interface RS232 C for KPZ 52E-9-1	173071000000
Serial interface RS232 C for KPZ 51E-9-2	173072000000
Setpoints, 3 pcs for KPZ 51E-9-2 (more – OK – less)	171131000000
Software "KPZ Smart Scale" STANDARD (incl. RS232 serial interface)	5S0001000000
Software "KPZ Smart Scale" PROFESSIONAL (incl. RS232 serial interface)	5S0005000000
Software "KPZ Smart Scale" PREMIUM (incl. RS232 serial interface)	5S0010000000
Wi-Fi Datatransfer	171705000000

weights & measures certification (extra charge)	
KPZ Factory first certification from 550 kg up to 3.000 kg	300PL0003000

Construction- Options	
Foot- brake	1717N0100000
Quicklifting-hydraulics	1714N0031300
Other forks length, 850 mm to 1550 mm	1713N1000000
Other forks length, 1600 mm to 1800 mm	1713N2000000
Other forks width, 480 mm to 680 mm	1713N1100000
Other capacity, division, option and dimension on request!	

Packing dimension	
Type	Packing dimension
KPZ 71-7 N	153 x 65 x 125 cm, ca. 155 kg

We reserve the right to make changes without prior notification



KPZ Pallet truck type KPZ 71 – 8

Compl. with indicator KPZ 52E- 7

Non approved version with indicator KPZ 52-7-2

Steel powder painted, tandem polyurethan rollers, rubber steering wheels, incl. battery and adapter.

Load cells: 4 high quality DMS load cells KPZ 502E-3, IP 67.

Certificate: EU type approved class III.



Calibration protocol as an option. Price on request.

Typ	Capacity	Division	approval	Artikel-Nr.
KPZ 71-8 Economy plus with 52-7-2	2200kg	100 g	No	718SH0002200
KPZ 71-8 Economy plus with 52-7-2	2200kg	200 g	No	718S00002200
KPZ 71-8 Economy plus with 52-7-2	1100/2200kg	100/200 g	No	718SM0002200
KPZ 71-8 Economy plus with 52-7-2	2500kg	1000 g	No	718S00002500
KPZ 71-8 Economy plus with 52-7-2	3000kg	1000 g	No	718S00003000
KPZ 71-8 Economy plus with 52E-7	600kg	200 g	Yes	718S0000060E
KPZ 71-8 Economy plus with 52E-7	1500kg	500 g	Yes	718S0000150E
KPZ 71-8 Economy plus with 52E-7	2200kg	1000 g	Yes	718S0000220E
KPZ 71-8 Economy plus with 52E-7	1100/2200kg	500/1000 g	Yes	718SM000220E
KPZ 71-8 Economy plus with 52E-7	2500kg	1000 g	Yes	718S0000250E
KPZ 71-8 Economy plus with 52E-7	3000kg	1000 g	Yes	718S0000300E

Other capacity, division, option and dimension on request.

Calibration protocol as an option. Price on request.

2 Range
division

Option / extra charge	Artikel-Nr.
Indicators:	
Indicator KPZ 52E-7/1, instead of KPZ 52E-7	7152E7100000
Indicator KPZ 52E-7/1, instead of KPZ 52-7-2	71J52E710000
Indicator KPZ 56E-4, instead of KPZ 52E-7	7156E4000000
Indicator KPZ 56E-4, instead of KPZ 52-7-2	71J56E400000
Indicator KPZ 51E-9-2 (Front Panel Version) instead of KPZ 52E-7	7152E9200000
Indicator KPZ 51E-9-2 (Front Panel Version) instead of KPZ 52-7-2	71J52E920000
Serial interface:	
Serial interface RS 232 C for KPZ 52-7-2	715272000100
Serial interface RS 232 C for KPZ 52E-7	7152E7000100
Serial interface RS 232 C for KPZ 56E-4	7156E4000100
Serial interface RS 232 C for KPZ 56E-4 inkl. RTC	7156E4000200
Serial interface RS 232 C for KPZ 52E-9-2 inkl. RTC	7152E9200100
USB output inkl. 8 MB Data storage	713060000000
Bluetooth	171050000000
Printers:	
Label printer and codeprinter type DR 2 for KPZ 56E-4	171334000000
Roller printer FAVORIT Plus, for KPZ 51(E)-*	171023000000
Construction	
Hand-brake	171701000000
Quicklifting for KPZ 71-8, up to 300kg active	171700313000
weights & measures certification (extra charge)	
KPZ Factory first certification from 550 kg up to 3.000 kg	300PL0003000

Packing dimension

Type	Packing dimension
KPZ 71-8	153 x 65 x 125 cm, ca. 152 kg

We reserve the right to make changes without prior notification



Pallet truck type KPZ 71 - 9

with indicator KPZ 52 - 19

powder steel painted, large rubber steering wheels (Ø 200mm) and polyurethan-tandem rolls, complete with battery and charger

Load cells: 4 high quality load cell DMS KPZ 502E-3, IP67.

Certification: non approved version, CE Conform.

Calibration protocol as an option. Price on request.



Typ	Capacity	Division	approval		Artikel-Nr.
KPZ 71-9	2200kg	500 g	No		719SJ0002200
KPZ 71-9	2500kg	1000 g	No		719SJ0002500
KPZ 71-9 L: 800	2200kg	500 g	No		719SJ0082200
KPZ 71-9 L:1800	2200kg	1000 g	No		719SJ0182200
KPZ 71-9 L:1800	2500kg	1000 g	No		719SJ0182500
KPZ 71-9 L:2000	2200kg	1000 g	No		719SJ0202200
KPZ 71-9 with printer	2200kg	500 g	No		719DRSJ02200

Option		Nr art.
USB output inkl. 8 MB Data storage		713060000000
Bluetooth		171050000000
Foot brake		171401000000
Quick lifting up to 300 kg.		171700313000

We reserve the right to make price changes without prior notification

Weighing system for electrical Pallet Truck Typ KPZ 72

with indicator KPZ 52E-7

Complete able to work, installed in one of customer's delivered electrical Pallet Truck, weighing parts Steel powder painted.

Calibration protocol as an option. Price on request.



Klasse
III

Weighing capacity : depending on basic truck

Price example:

Type	Capacity	Division	Approval possible	Article-No.
KPZ 7201200	600/1200 kg	200/500g	No	720000001200
KPZ 7202000	2000 kg	1000g	No	720000002000
KPZ 72E0060	600 kg	500 g	Yes III M	72000000060E
KPZ 72E0150	1500 kg	1000 g	Yes III M	72000000150E

Other capacity, division, option and dimension on request.

Calibration protocol as an option. Price on request.

2 Range
division

Options/ accessories / extra charge	Article-Nr
Indicators: Options (extra cost)	
Indicator KPZ 52E-7/1, with pre tare and easy counting	171430000000
Indicator KPZ 56E-4, professional counting, addition, Tare input by hand, 10 Memory	171324000000
Indicator KPZ 58-2 reference piece counting scale, 2 t/500 g, 1 t/200 g, 0,5 t/100 g	171330000000
Printers: Options (extra cost) + costs for output RS 232	
Roller printer FAVORIT Plus, for KPZ 51(E)-*	171023000000
Label printer and codeprinter type DR 2 for KPZ 56E-4, KPZ 51E-11	171334000000
Print design for DR 2 on request	204333100000
serial interface / Setpoints: Options / extra costs	
Serial interface RS232 C for KPZ 52E-7	171307000000
Serial interface RS 232 C for KPZ 56E-4 incl. RTC, without PT, without addition	171030700000
Setpoints, 3 pcs for KPZ 51(E)-7 (more – OK – less)	171131000000
Software "KPZ Smart Scale" STANDARD (incl. RS232 serial interface)	5S0001000000
Software "KPZ Smart Scale" PROFESSIONAL (incl. RS232 serial interface)	5S0005000000
Software "KPZ Smart Scale" PREMIUM (incl. RS232 serial interface)	5S0010000000
Wi-Fi Datatransfer	120005000000
We reserve the right to make changes without prior notification	
Weights & measures certification (extra charge)	
KPZ Factory first certification from 550 kg up to 3.000 kg	300PL0003000

We reserve the right to make changes without prior notification

Complete device price.

Barrel (mobile) scale type KPZ 73 B

Installed in a manual barrel lifting truck vehicle.

Complete with indicator KPZ 52E-9-1, able to work, incl. power supply and battery.

Construction: Steel powder painted,

Calibration protocol as an option. Price on request.



Type	Lift height	Capacity	Division	Article-Nr
KPZ 73SB350	1,6 m	350 kg	500 g	73B000000350

Other capacity, division, option and dimension on request.

Calibration protocol as an option. Price on request.

2 Range
division

Options / accessories / extra charge	Article-Nr
Indicators: Options (extra cost)	
Indicator KPZ 51E-9-2, High/OK/LOW, 10 Memory, Stainless steel housing (IP 67)	171519200000
Printers: Options (extra cost) + costs for output RS 232	
Roller printer FAVORIT Plus, for KPZ 51(E)-*, IP 54	171023000000
Schnittstellen / Schaltepunkte: (Optionen) (Mehrpreis/extra cost)	
Serial interface RS232 C for KPZ 52E-9-1	173071000000
Serial interface RS232 C for KPZ 51E-9-2	173072000000
Setpoints, 3 pcs for KPZ 51E-9-2 (more – OK – less)	171131000000
Software "KPZ Smart Scale" STANDARD (incl. RS232 serial interface)	5S0001000000
Software "KPZ Smart Scale" PROFESSIONAL (incl. RS232 serial interface)	5S0005000000
Software "KPZ Smart Scale" PREMIUM (incl. RS232 serial interface)	5S0010000000
Wi-Fi Datatransfer	171705000000

Packing dimension

Type	Packing dimension
KPZ 73B	105 x 125 x 200 cm, 190 kg

We reserve the right to make changes without prior notification

Scale mounting to a customer's pallet truck

Weighing system for electrical pallet truck type KPZ 73

with Indicator KPZ 52E-7

Complete able to work, Installed in one of customer's delivered electrical pallet truck,
weighing parts Steel powder painted



Calibration protocol as an option. Price on request.

Weighing capacity : depending on basic truck

Price example

Type	capacity	Division	Approval		Article-Nr
KPZ 73 simplex mast	600/1200 kg	1000 g	No		73SM00001200
KPZ 73 doublex mast	600/1200 kg	1000 g	No		73DM00001200
KPZ 73 triplex mast	600/1200 kg	1000 g	No		73TM00001200
KPZ 73E simplex mast	2000 kg	1000 g	Yes (III) M		73SM0000120E
KPZ 73E doublex mast	2000 kg	1000 g	Yes (III) M		73DM0000120E
KPZ 73E triplex mast	2000 kg	1000 g	Yes (III) M		73TM0000120E
Mast type		Please specify : Simplex, Doublex or Triplex			
Mast height		Please specify if more than 2m			
Other capacity, division, option and dimension on request. Calibration protocol as an option. Price on request.					2 Range division

Options/ accessories / extra charge	Article-Nr
Indicators: Options (extra cost)	
Indicator KPZ 52E-7/1, with pre tare and easy counting	171430000000
Indicator KPZ 56E-4, professional counting, addition, Tare input by hand, 10 Memory	171324000000
Indicator KPZ 58-2 reference piece counting scale, 2 t/500 g, 1 t/200 g, 0,5 t/100 g	171330000000
Printers: Options (extra cost) + costs for output RS 232	
Roller printer FAVORIT Plus, for KPZ 51(E)-*	171023000000
Label printer and codeprinter type DR 2 for KPZ 56E-4, KPZ 51E-11	171334000000
Print design for DR 2 on request	204333100000
serial interface / Setpoints: Options / extra costs	
Serial interface RS232 C for KPZ 52E-7	171307000000
Serial interface RS 232 C for KPZ 56E-4 incl. RTC, without PT, without addition	171030700000
Setpoints, 3 pcs for KPZ 51(E)-7 (more – OK – less)	171131000000
Software "KPZ Smart Scale" STANDARD (incl. RS232 serial interface)	5S0001000000
Software "KPZ Smart Scale" PROFESSIONAL (incl. RS232 serial interface)	5S0005000000
Software "KPZ Smart Scale" PREMIUM (incl. RS232 serial interface)	5S0010000000
Wi-Fi Datatransfer	120005000000
We reserve the right to make changes without prior notification	

Packing dimension	
Type	Packing dimension
KPZ 73	On request

We reserve the right to make price changes without prior notification



Complete device price.

Weighing system for manual Lifting Truck type KPZ 73 SDJ

Complete with indicator KPZ 51-16-1, incl. power supply and battery, able to work, installed in one of customer's delivered manual Lifting Truck, steel powder painted.

Calibration protocol as an option. Price on request.



Type	Lift height	Capacity	Division		Article-Nr
KPZ 73MSDJ160	1,6 m	1000 kg	500/1000 g		73SDJ1601000
KPZ 73SDJ160	2,5 m	1000 kg	500/1000 g		73SDJ2501000
KPZ 73SDJ250	3,0 m	1000 kg	500/1000 g		73SDJ3001000
Other capacity, division, option and dimension on request. Calibration protocol as an option. Price on request.					2 Range division

Options/ accessories / extra charge		Article-Nr
Indicator, printer, serial interface/ setpoints: Options		
Depending on customer's order there is possibility to fit every KPZ indicator including serial interface and setpoints. Option: roller printer, label printer, data transfer etc. Please contact us for individual offer.		

Packing dimension	
Type	Packing dimension
KPZ 73	On request

We reserve the right to make price changes without prior notification

High lift pallet weigher type KPZ 74

Standard capacity 1000 kg, division 500 g

Complete with Indicator KPZ 52E-7, incl. battery and adapter, steel powder painted



Calibration protocol as an option. Price on request.

Type	Capacity	Division	Approval	Article-Nr.
KPZ 74SJ	1000 kg	500 g	No	74SJ00001000
KPZ 74SE	1000 kg	500 g	Yes (III) M	74SE00001000

Other capacity, division, option and dimension on request.

Calibration protocol as an option. Price on request.

Options/ accessories / extra charge	Article-Nr
Indicators: Options (extra cost)	
Indicator KPZ 52E-7/1, with pre tare and easy counting	171430000000
Indicator KPZ 56E-4, professional counting, addition, Tare input by hand, 10 Memory	171324000000
Indicator KPZ 58-2 reference piece counting scale, 2 t/500 g, 1 t/200 g, 0,5 t/100 g	171330000000
Printers: Options (extra cost) + costs for output RS 232	
Roller printer FAVORIT Plus, for KPZ 51(E)-*	171023000000
Label printer and codeprinter type DR 2 for KPZ 56E-4, KPZ 51E-11	171334000000
Print design for DR 2 on request	204333100000
serial interface / Setpoints: Options / extra costs	
Serial interface RS232 C for KPZ 52E-7	171307000000
Serial interface RS 232 C for KPZ 56E-4 incl. RTC, without PT, without addition	171030700000
Setpoints, 3 pcs for KPZ 51(E)-7 (more – OK – less)	171131000000
Software "KPZ Smart Scale" STANDARD (incl. RS232 serial interface)	5S0001000000
Software "KPZ Smart Scale" PROFESSIONAL (incl. RS232 serial interface)	5S0005000000
Software "KPZ Smart Scale" PREMIUM (incl. RS232 serial interface)	5S0010000000
Wi-Fi Datatransfer	120005000000
<i>We reserve the right to make changes without prior notification</i>	

Other Options	
Exchangable battery	171704000000
Construction- options	
Hand drum-brake	171701000000
Galvanized version, loadcells nicel plated	171312000000
Stainless steel	171313000000
KPZ Factory first certification from 550 kg up to 3.000 kg	300PL0003000

Packing dimension	
Type	Packing dimension
KPZ 74	Approx. 165 x 70 x 134 cm, 140 kg

We reserve the right to make changes without prior notification



Hydraulic weighing system for Forklift truck Type KPZ 39



Type	Capacity	Division		Article-Nr.
KPZ 39 / 1000	1000kg	2 kg		390000001000
KPZ 39 / 1500	1500kg	5 kg		390000001500
KPZ 39 / 2000	2000kg	5 kg		390000002000
KPZ 39 / 2500	2500kg	10 kg		390000002500
KPZ 39 / 3000	3000kg	10 kg		390000003000
KPZ 39 / 5000	5000kg	10 kg		390000005000

Electronic - hydraulic weighing system for Forklift truck Type KPZ 39-1

with indicator KPZ 52-19



Type	Capacity	Division		Article-Nr.
KPZ 39-1 / 1500	1500kg	10 kg		391000001500
KPZ 39-1 / 3000	3000kg	10 kg		391000003000
KPZ 39-1 / 6000	6000kg	20 kg		391000006000

Electronic - hydraulic weighing system for Forklift truck Type KPZ 39-2

Type	Capacity	Division		Article-Nr.
KPZ 39-2 / 1500	1500kg	1 kg		392000001500
KPZ 39-2 / 3000	3000kg	2 kg		392000003000
KPZ 39-2 / 6000	6000kg	5 kg		392000006000

We reserve the right to make price changes without prior notification

Weighing System type KPZ 76F

weighing system for forklift trucks

Signal is radio transferred. Power supply from forklift's battery.

Compl. with indicator KPZ 52 – 19F.



Calibration protocol as an option. Price on request.

Type	Capacity	Division	Article-Nr.
KPZ 76F FEM 2A	2500 kg	1000 g	76F02A002500
KPZ 76F FEM 3A	3500 kg	2000 g	76F03A003500
KPZ 76F FEM 3A	5000 kg	5000 g	76F03A005000

Other capacity, division, option and dimension on request.

Calibration protocol as an option. Price on request.

Options / accessories / extra charge	Article-Nr.
Options / extra costs	
Forks FEM 2B	76ISO02B0000
Forks FEM 3B	76ISO03B0000

Weighing System type KPZ 76-1

Weighing system for forklift trucks

Compl. with indicator KPZ 52 – 19 mounted on forks; with battery and adaptor.

Large digital display with backlight.



Type	Capacity	Division	Article-Nr.
KPZ 76 - 1 FEM 2A	2500 kg	1000 g	76102A002500
KPZ 76 - 1 FEM 3A	3000 kg	2000 g	76103A003000
KPZ 76 - 1 FEM 3A	5000 kg	5000 g	76103A005000

Other capacity, division, option and dimension on request.

Calibration protocol as an option. Price on request.

Options / accessories / extra charge	Article-Nr.
Options / extra costs	
Forks FEM 2B	76ISO02B0000
Forks FEM 3B	76ISO03B0000

We reserve the right to make changes without prior notification



Weighing System type KPZ 76FE

weighing system for forklift trucks

Signal is radio transferred. Power supply from forklift's battery.

Compl. with indicator KPZ 51E-40F

Certificate: EU type approved class III, approved version



Type	Capacity	Division	Article-Nr.
KPZ 76FE FEM 2A	2000/2500 kg	2/5 kg	76FM2A00250E
KPZ 76FE FEM 3A	2000/3500 kg	2/5 kg	76FM3A00350E
KPZ 76FE FEM 3A	5000 kg	5 kg	76F03A00500E

Other capacity, division, option and dimension on request.

Calibration protocol as an option. Price on request.

Options / accessories / extra charge	Article-Nr.
Options / extra costs	
Forks FEM 2B	76ISO02B0000
Forks FEM 3B	76ISO03B0000



ADDRESS: VII. ulica -del 7, 1235 Radomlje, Slovenija

TEL: +386 (0)1 7297-234

GSM: +386 (0)41 819 607

Email: info@intertech.si